

**EPIDEMIOLOGICAL PROFILE**  
**Target Area**  
**Partnership 11a (Miami-Dade)**  
**Miami-Dade County**

**Mid-Year Population Estimates**

**2012**

**Sex**

	<b>Total Pop</b>	
Males	1,230,824	49%
Females	1,304,053	51%
Total	2,534,877	100%

**Age Groups**

	<b>Total Pop</b>	
0 - 12	391,761	15%
13 - 19	225,653	9%
20 - 24	176,050	7%
25 - 29	177,908	7%
30 - 39	350,374	14%
40 - 49	377,575	15%
50 - 59	333,248	13%
60+	502,308	20%
Total	2,534,877	100%

**Race/Ethnicity**

	<b>Total Pop</b>	
White, non-Hispanic	386,475	15%
Black, non-Hispanic	429,754	17%
Hispanic	1,658,715	65%
Other*	59,933	2%
Total	2,534,877	100%

**2013**

**Sex**

	<b>Total Pop</b>	
Males	1,238,874	48.6%
Females	1,312,250	51.4%
Total	2,551,124	100.0%

**Age Groups**

	<b>Total Pop</b>	
0 - 12	394,063	15%
13 - 19	223,979	9%
20 - 24	175,875	7%
25 - 29	180,863	7%
30 - 39	349,735	14%
40 - 49	373,784	15%
50 - 59	340,745	13%
60+	512,080	20%
Total	2,551,124	100%

**Race/Ethnicity**

	<b>Total Pop</b>	
White, non-Hispanic	383,672	15%
Black, non-Hispanic	432,264	17%
Hispanic	1,674,883	66%
Other*	60,305	2%
Total	2,551,124	100%

Note: Other includes American Indian/Alaskan Native, Asian Pacific Islander, and all other race groups

**FLORIDA Department of Health, HIV/AIDS Section**

Created: 01/14/13  
Revision: 08/27/14



AIDS cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Partnership 11a (Miami-Dade) population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded. **THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE**

2012							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	441	73.3%	35.8	0 - 12	0	0.0%	0.0
Female	161	26.7%	12.3	13 - 19	4	0.7%	1.8
Other/Unknown	0	0.0%	N/A	20 - 24	41	6.8%	23.3
Total	602	100.0%	23.7	25 - 29	53	8.8%	29.8
				30 - 39	138	22.9%	39.4
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	179	29.7%	47.4
White, Non-Hispanic	45	7.5%	11.6	50 - 59	139	23.1%	41.7
Black, Non-Hispanic	273	45.3%	63.5	60+	48	8.0%	9.6
Hispanic	271	45.0%	16.3	Total	602	100.0%	23.7
Asian/Pacific Islander	3	0.5%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	10	1.7%	N/A				
Total	602	100.0%	23.7				
2013							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	511	72.1%	41.2	0 - 12	1	0.1%	0.3
Female	198	27.9%	15.1	13 - 19	8	1.1%	3.6
Other/Unknown	0	0.0%	N/A	20 - 24	44	6.2%	25.0
Total	709	100.0%	27.8	25 - 29	79	11.1%	43.7
				30 - 39	154	21.7%	44.0
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	229	32.3%	61.3
White, Non-Hispanic	51	7.2%	13.3	50 - 59	150	21.2%	44.0
Black, Non-Hispanic	342	48.2%	79.1	60+	44	6.2%	8.6
Hispanic	310	43.7%	18.5	Total	709	100.0%	27.8
Asian/Pacific Islander	3	0.4%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	3	0.4%	N/A				
Total	709	100.0%	27.8				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

HIV Infection cases and rates per 100,000 population, and percent of total, by race/ethnicity, gender and age group at diagnosis and year of report. Rates are based on Partnership 11a (Miami-Dade) population estimates, by race/ethnicity, gender and age, respectively. DOC cases are excluded. **THESE PAGES ARE LINKED TO NEW CASES-DEATHS, DO NOT EDIT THIS PAGE**

2012							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	875	78.0%	71.1	0 - 12	2	0.2%	0.5
Female	247	22.0%	18.9	13 - 19	46	4.1%	20.4
Other/Unknown	0	0.0%	N/A	20 - 24	155	13.8%	88.0
Total	1,122	100.0%	44.3	25 - 29	152	13.5%	85.4
				30 - 39	250	22.3%	71.4
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	305	27.2%	80.8
White, Non-Hispanic	143	12.7%	37.0	50 - 59	153	13.6%	45.9
Black, Non-Hispanic	434	38.7%	101.0	60+	59	5.3%	11.7
Hispanic	530	47.2%	32.0	Total	1,122	100.0%	44.3
Asian/Pacific Islander	7	0.6%	N/A				
Amer. Indian/Alaskan	0	0.0%	N/A				
Other/Unknown	8	0.7%	N/A				
Total	1,122	100.0%	44.3				
2013							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	1,117	77.8%	90.2	0 - 12	4	0.3%	1.0
Female	319	22.2%	24.3	13 - 19	36	2.5%	16.1
Other/Unknown	0	0.0%	N/A	20 - 24	184	12.8%	104.6
Total	1,436	100.0%	56.3	25 - 29	213	14.8%	117.8
				30 - 39	355	24.7%	101.5
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	350	24.4%	93.6
White, Non-Hispanic	161	11.2%	42.0	50 - 59	213	14.8%	62.5
Black, Non-Hispanic	536	37.3%	124.0	60+	81	5.6%	15.8
Hispanic	720	50.1%	43.0	Total	1,436	100.0%	56.3
Asian/Pacific Islander	16	1.1%	N/A				
Amer. Indian/Alaskan	1	0.1%	N/A				
Other/Unknown	2	0.1%	N/A				
Total	1,436	100.0%	56.3				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Infectious syphilis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 11a (Miami-Dade)**

2012									
<b>Gender</b>				<b>Age Groups</b>					
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		
Male	326	93.9%	26.5	0 - 12	0	0.0%	0.0		
Female	21	6.1%	1.6	13 - 19	16	4.6%	7.1		
Other/Unknown	0	0.0%	N/A	20 - 24	60	17.3%	34.1		
Total	347	100.0%	13.7	25 - 29	51	14.7%	28.7		
<b>Race/Ethnicity</b>				<b>Age Groups</b>					
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		
White, Non-Hispanic	53	15.3%	13.7	30 - 39	88	25.4%	25.1		
Black, Non-Hispanic	97	28.0%	22.6	40 - 49	94	27.1%	24.9		
Hispanic	184	53.0%	11.1	50 - 59	31	8.9%	9.3		
Asian/Pacific Islander	2	0.6%	N/A	60+	7	2.0%	1.4		
Amer. Indian/Alaskan	1	0.3%	N/A	Other/Unknown	0	0.0%	N/A		
Other/Unknown	10	2.9%	N/A	Total	347	100.0%	13.7		
Total	347	100.0%	13.7						
2013									
<b>Gender</b>				<b>Age Groups</b>					
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		
Male	383	92.7%	30.9	0 - 12	0	0.0%	0.0		
Female	30	7.3%	2.3	13 - 19	30	7.3%	13.4		
Other/Unknown	0	0.0%	N/A	20 - 24	63	15.3%	35.8		
Total	413	100.0%	16.2	25 - 29	70	16.9%	38.7		
<b>Race/Ethnicity</b>				<b>Age Groups</b>					
	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		<b>Cases</b>	<b>% Total</b>	<b>Rate</b>		
White, Non-Hispanic	58	14.0%	15.1	30 - 39	105	25.4%	30.0		
Black, Non-Hispanic	96	23.2%	22.2	40 - 49	91	22.0%	24.3		
Hispanic	227	55.0%	13.6	50 - 59	40	9.7%	11.7		
Asian/Pacific Islander	2	0.5%	N/A	60+	14	3.4%	2.7		
Amer. Indian/Alaskan	0	0.0%	N/A	Other/Unknown	0	0.0%	N/A		
Other/Unknown	30	7.3%	N/A	Total	413	100.0%	16.2		
Total	413	100.0%	16.2						

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.





**All confirmed Tuberculosis cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 11a (Miami-Dade)**

2012							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	73	58.4%	5.9	0 - 12	8	6.4%	2.0
Female	52	41.6%	4.0	13 - 19	4	3.2%	1.0
Other/Unknown	0	0.0%	N/A	20 - 24	9	7.2%	2.3
Total	125	100.0%	4.9	25 - 29	7	5.6%	1.8
				30 - 39	23	18.4%	5.9
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	24	19.2%	6.1
White, Non-Hispanic	8	6.4%	2.1	50 - 59	17	13.6%	4.3
Black, Non-Hispanic	35	28.0%	8.1	60+	33	26.4%	8.4
Hispanic	76	60.8%	4.6	Unknown	0	0.0%	N/A
Asian/Pacific Islander	5	4.0%	N/A	Total	125	100.0%	4.9
Amer. Indian/Alaskan	0	0.0%	N/A				
Unknown	1	0.8%	N/A				
Total	125	100.0%	4.9				

  

2013							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	72	52.9%	5.8	0 - 12	8	5.9%	2.0
Female	64	47.1%	4.9	13 - 19	5	3.7%	2.2
Other/Unknown	0	0.0%	N/A	20 - 24	5	3.7%	2.8
Total	136	100.0%	5.3	25 - 29	10	7.4%	5.5
				30 - 39	18	13.2%	5.1
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	21	15.4%	5.6
White, Non-Hispanic	13	9.6%	3.4	50 - 59	24	17.6%	7.0
Black, Non-Hispanic	53	39.0%	12.3	60+	45	33.1%	8.8
Hispanic	65	47.8%	3.9	Unknown	0	0.0%	N/A
Asian/Pacific Islander	5	3.7%	N/A	Total	136	100.0%	5.3
Amer. Indian/Alaskan	0	0.0%	N/A				
Unknown		0.0%	N/A				
Total	136	100.0%	5.3				

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Hepatitis A cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 11a (Miami-Dade)**

2012												
<b>Gender</b>				<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>			<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male				10	71.4%	0.8	0 - 12			0	0.0%	0.0
Female				4	28.6%	0.3	13 - 19			0	0.0%	0.0
Other/Unknown				0	0.0%	N/A	20 - 24			2	14.3%	1.1
Total				14	100.0%	0.6	25 - 29			3	21.4%	1.7
<b>Race/Ethnicity</b>				<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	30 - 39			1	7.1%	0.3
White, Non-Hispanic				2	14.3%	0.5	40 - 49			3	21.4%	0.8
Black, Non-Hispanic				1	7.1%	0.2	50 - 59			2	14.3%	0.6
Hispanic				10	71.4%	0.6	60+			3	21.4%	0.6
Asian/Pacific Islander				0	0.0%	N/A	Unknown			0	0.0%	N/A
Amer. Indian/Alaskan				0	0.0%	N/A	Total			14	100.0%	0.6
Other/Unknown				1	7.1%	N/A						
Total				14	100.0%	0.6						
2013												
<b>Gender</b>				<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>			<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male				10	41.7%	0.8	0 - 12			0	0.0%	0.0
Female				14	58.3%	1.1	13 - 19			0	0.0%	0.0
Other/Unknown				0	0.0%	N/A	20 - 24			1	4.2%	0.6
Total				24	100.0%	0.9	25 - 29			2	8.3%	1.1
<b>Race/Ethnicity</b>				<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	30 - 39			3	12.5%	0.9
White, Non-Hispanic				4	16.7%	1.0	40 - 49			6	25.0%	1.6
Black, Non-Hispanic				1	4.2%	0.2	50 - 59			4	16.7%	1.2
Hispanic				16	66.7%	1.0	60+			8	33.3%	1.6
Asian/Pacific Islander				0	0.0%	N/A	Unknown			0	0.0%	N/A
Amer. Indian/Alaskan				0	0.0%	N/A	Total			24	100.0%	0.9
Other/Unknown				3	12.5%	N/A						
Total				24	100.0%	0.9						

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.



**Acute Hepatitis B cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 11a (Miami-Dade)**

2012							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	8	57.1%	0.6	0 - 12	0	0.0%	0.0
Female	6	42.9%	0.5	13 - 19	1	7.1%	0.4
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	14	100.0%	0.6	25 - 29	1	7.1%	0.6
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	30 - 39	5	35.7%	1.4
White, Non-Hispanic	1	7.1%	0.3	40 - 49	5	35.7%	1.3
Black, Non-Hispanic	5	35.7%	1.2	50 - 59	1	7.1%	0.3
Hispanic	8	57.1%	0.5	60+	1	7.1%	0.2
Asian/Pacific Islander	0	0.0%	N/A	Unknown	0	0.0%	N/A
Amer. Indian/Alaskan	0	0.0%	N/A	Total	14	100.0%	0.6
Other/Unknown	0	0.0%	N/A				
Total	14	100.0%	0.6				
2013							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	12	66.7%	1.0	0 - 12	0	0.0%	0.0
Female	6	33.3%	0.5	13 - 19	0	0.0%	0.0
Other/Unknown	0	0.0%	N/A	20 - 24	0	0.0%	0.0
Total	18	100.0%	0.7	25 - 29	1	5.6%	0.6
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	30 - 39	4	22.2%	1.1
White, Non-Hispanic	3	16.7%	0.8	40 - 49	5	27.8%	1.3
Black, Non-Hispanic	7	38.9%	1.6	50 - 59	6	33.3%	1.8
Hispanic	7	38.9%	0.4	60+	2	11.1%	0.4
Asian/Pacific Islander	0	0.0%	N/A	Unknown	0	0.0%	N/A
Amer. Indian/Alaskan	0	0.0%	N/A	Total	18	100.0%	0.7
Other/Unknown	1	5.6%	N/A				
Total	18	100.0%	0.7				

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**Chronic Hepatitis C cases (and rates per 100,000 population) by race/ethnicity, by gender, by age group at diagnosis and year of report, Partnership 11a (Miami-Dade)**

2012							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	782	58.2%	63.5	0 - 12	10	0.7%	2.6
Female	547	40.7%	41.9	13 - 19	19	1.4%	8.4
Other/Unknown	14	1.0%	N/A	20 - 24	71	5.3%	40.3
Total	1,343	100.0%	53.0	25 - 29	59	4.4%	33.2
				30 - 39	108	8.0%	30.8
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	207	15.4%	54.8
White, Non-Hispanic	100	7.4%	25.9	50 - 59	425	31.6%	127.5
Black, Non-Hispanic	90	6.7%	20.9	60+	444	33.1%	88.4
Hispanic	200	14.9%	12.1	Unknown	0	0.0%	N/A
Asian/Pacific Islander	11	0.8%	N/A	Total	1,343	100.0%	53.0
Amer. Indian/Alaskan	3	0.2%	N/A				
Other/Unknown	939	69.9%	N/A				
Total	1,343	100.0%	53.0				
2013							
<b>Gender</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	<b>Age Groups</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>
Male	912	57.7%	73.6	0 - 12	4	0.3%	1.0
Female	665	42.1%	50.7	13 - 19	8	0.5%	3.6
Other/Unknown	4	0.3%	N/A	20 - 24	52	3.3%	29.6
Total	1,581	100.0%	62.0	25 - 29	45	2.8%	24.9
				30 - 39	148	9.4%	42.3
<b>Race/Ethnicity</b>	<b>Cases</b>	<b>% Total</b>	<b>Rate</b>	40 - 49	230	14.5%	61.5
White, Non-Hispanic	332	21.0%	86.5	50 - 59	532	33.6%	156.1
Black, Non-Hispanic	367	23.2%	84.9	60+	562	35.5%	109.7
Hispanic	520	32.9%	31.0	Unknown	0	0.0%	N/A
Asian/Pacific Islander	6	0.4%	N/A	Total	1,581	100.0%	62.0
Amer. Indian/Alaskan	1	0.1%	N/A				
Other/Unknown	355	22.5%	N/A				
Total	1,581	100.0%	62.0				

2013 data provisional.

Note: Mid-year population estimates are not available for other race/ethnicity groups.

**HIV COUNSELING AND TESTING DATA  
Partnership 11a (Miami-Dade)**

Includes Total Number of Tests Performed at the State Laboratories From all Testing Sites

<b>2012 Exposure Category</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>	<b>Gender</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
Male Sex With Male/IDU	657	31	4.7	Male	38,485	911	2.4
Male Sex With Male	8,843	539	6.1	Female	38,412	291	0.8
Injecting Drug User	1,593	87	5.5	Unknown	1,195	17	1.4
Sex Partner at Risk	4,621	140	3.0	<b>Total</b>	<b>78,092</b>	<b>1,219</b>	<b>1.6</b>
Child of Woman with HIV/AIDS	93	2	2.2	<b>Race/ Ethnicity</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
STD Diagnosis	8,057	61	0.8	White	6,539	123	1.9
Sex for Drugs or Money	631	9	1.4	Black	37,228	597	1.6
Hemophilia/Blood Recipient	0	0	#DIV/0!	Hispanic	32,740	482	1.5
Victim of Sexual Assault	1,149	9	0.8	Asian	371	1	0.3
Health Care Exposure	0	0	#DIV/0!	Am. Native	68	1	1.5
Heterosexual	48,167	282	0.6	Other	162	4	2.5
No Acknowledged Risk	1,085	9	0.8	Unknown	984	11	1.1
Unknown	3,190	50	1.6	<b>Total</b>	<b>78,092</b>	<b>1,219</b>	<b>1.6</b>
<b>Total</b>	<b>78,086</b>	<b>1,219</b>	<b>1.6</b>	<b>Total</b>	<b>78,092</b>	<b>1,219</b>	<b>1.6</b>

<b>2013 Exposure Category</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>	<b>Gender</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
Male Sex With Male/IDU	3,355	23	0.7	Male	47,448	1,002	2.1
Male Sex With Male	10,460	622	5.9	Female	46,883	346	0.7
Injecting Drug User	3,230	52	1.6	Unknown	952	11	1.2
Sex Partner at Risk	2,507	179	7.1	<b>Total</b>	<b>95,283</b>	<b>1,359</b>	<b>1.4</b>
Child of Woman with HIV/AIDS	29	0	0.0	<b>Race/ Ethnicity</b>	<b>Number of Tests</b>	<b>Number Positive</b>	<b>Percent Positive</b>
STD Diagnosis	8,294	104	1.3	White	7,301	102	1.4
Sex for Drugs or Money	1,134	19	1.7	Black	43,146	636	1.5
Hemophilia/Blood Recipient	0	0	0.0	Hispanic	42,827	593	1.4
Victim of Sexual Assault	188	2	#DIV/0!	Asian	410	6	1.5
Health Care Exposure	0	0	0.0	Am. Native	111	1	0.9
Heterosexual	59,401	287	0.5	Other	226	5	2.2
No Acknowledged Risk	1,308	13	1.0	Unknown	1,262	16	1.3
Unknown	5,377	58	1.1	<b>Total</b>	<b>95,283</b>	<b>1,359</b>	<b>1.4</b>
<b>Total</b>	<b>95,283</b>	<b>1,359</b>	<b>1.4</b>	<b>Total</b>	<b>95,283</b>	<b>1,359</b>	<b>1.4</b>

"Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State." [CARE Act]

Section 2 – Table 1a: HIV and AIDS New Cases & HIV/AIDS Deaths (excl DOC).

Partnership 11a (Miami-Dade)

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2012 & 2013					HIV Infection Cases Reported in 2012 & 2013					HIV/AIDS Case Deaths in 2012 & 2013				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013.					HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/2013.				
	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
<b>Race/Ethnicity</b>															
White, not Hispanic	45	7%	51	7%	13.3%	143	13%	161	11%	12.6%	39	9%	25	8%	-35.9%
Black, not Hispanic	273	45%	342	48%	25.3%	434	39%	536	37%	23.5%	258	61%	190	58%	-26.4%
Hispanic	271	45%	310	44%	14.4%	530	47%	720	50%	35.8%	115	27%	101	31%	-12.2%
Asian/Pacific Islander	3	0%	3	0%	0.0%	7	1%	16	1%	128.6%	0	0%	2	1%	#DIV/0!
American Indian/Alaskan Native	0	0%	0	0%	#DIV/0!	0	0%	1	0%	#DIV/0!	0	0%	0	0%	#DIV/0!
Not Specified/Other	10	2%	3	0%	-70.0%	8	1%	2	0%	-75.0%	10	2%	11	3%	10.0%
<b>Total:</b>	<b>602</b>	<b>100%</b>	<b>709</b>	<b>100%</b>	<b>17.8%</b>	<b>1,122</b>	<b>100%</b>	<b>1,436</b>	<b>100%</b>	<b>28.0%</b>	<b>422</b>	<b>100%</b>	<b>329</b>	<b>100%</b>	<b>-22.0%</b>
<b>Gender</b>															
Male	441	73.3%	511	72.1%	15.9%	875	78.0%	1,117	77.8%	27.7%	290	68.7%	221	67.2%	-23.8%
Female	161	26.7%	198	27.9%	23.0%	247	22.0%	319	22.2%	29.1%	132	31.3%	108	32.8%	-18.2%
<b>Total:</b>	<b>602</b>	<b>100.0%</b>	<b>709</b>	<b>100.0%</b>	<b>17.8%</b>	<b>1,122</b>	<b>100.0%</b>	<b>1,436</b>	<b>100.0%</b>	<b>28.0%</b>	<b>422</b>	<b>100.0%</b>	<b>329</b>	<b>100.0%</b>	<b>-22.0%</b>
<b>Age at Diagnosis (Years)</b>															
0- 2 years	0	0.0%	1	0.1%	#DIV/0!	2	0.2%	3	0.2%	50.0%	0	0.0%	0	0.0%	#DIV/0!
3-12 years	0	0.0%	0	0.0%	#DIV/0!	0	0.0%	1	0.1%	#DIV/0!	0	0.0%	0	0.0%	#DIV/0!
13-19 years	4	0.7%	8	1.1%	100.0%	46	4.1%	36	2.5%	-21.7%	1	0.2%	0	0.0%	-100.0%
20-24 years	41	6.8%	44	6.2%	7.3%	155	13.8%	184	12.8%	18.7%	4	0.9%	4	1.2%	0.0%
25-29 years	53	8.8%	79	11.1%	49.1%	152	13.5%	213	14.8%	40.1%	11	2.6%	9	2.7%	-18.2%
30-39 years	138	22.9%	154	21.7%	11.6%	250	22.3%	355	24.7%	42.0%	40	9.5%	32	9.7%	-20.0%
40-44 years	90	15.0%	109	15.4%	21.1%	159	14.2%	162	11.3%	1.9%	42	10.0%	29	8.8%	-31.0%
45-49 years	89	14.8%	120	16.9%	34.8%	146	13.0%	188	13.1%	28.8%	47	11.1%	35	10.6%	-25.5%
50-59 years	139	23.1%	150	21.2%	7.9%	153	13.6%	213	14.8%	39.2%	152	36.0%	123	37.4%	-19.1%
60+ years	48	8.0%	44	6.2%	-8.3%	59	5.3%	81	5.6%	37.3%	125	29.6%	97	29.5%	-22.4%
<b>Total:</b>	<b>602</b>	<b>100.0%</b>	<b>709</b>	<b>100.0%</b>	<b>17.8%</b>	<b>1,122</b>	<b>100.0%</b>	<b>1,436</b>	<b>100.0%</b>	<b>28.0%</b>	<b>422</b>	<b>100.0%</b>	<b>329</b>	<b>100.0%</b>	<b>-22.0%</b>

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2012 & 2013					HIV Infection Cases Reported in 2012 & 2013					HIV/AIDS Case Deaths in 2012 & 2013				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013.					HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/2013.				
<b>Male Adult/Adolescent AIDS Exposure Category</b>	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
MSM	291	66.0%	338	66.3%	16.2%	705	80.7%	912	81.8%	29.4%	136	46.9%	53	40.2%	-61.0%
IDU	17	3.9%	13	2.5%	-23.5%	10	1.1%	18	1.6%	80.0%	40	13.8%	21	15.9%	-47.5%
MSM/IDU	15	3.4%	18	3.5%	20.0%	14	1.6%	9	0.8%	-35.7%	13	4.5%	15	11.4%	15.4%
Heterosexual	116	26.3%	138	27.1%	19.0%	144	16.5%	176	15.8%	22.2%	97	33.4%	43	32.6%	-55.7%
Other	2	0.5%	3	0.6%	50.0%	1	0.1%	0	0.0%	-100.0%	4	1.4%	0	0.0%	-100.0%
<b>Total:</b>	441	100.0%	510	100.0%	15.6%	874	100.0%	1,115	100.0%	27.6%	290	100.0%	132	100.0%	-54.5%
<b>Female Adult/Adolescent AIDS Exposure Category</b>	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
IDU	16	9.9%	23	11.7%	43.8%	17	6.9%	15	4.7%	-11.8%	31	23.5%	20	18.5%	-35.5%
Heterosexual	144	89.4%	169	85.8%	17.4%	227	92.3%	302	95.3%	33.0%	101	76.5%	86	79.6%	-14.9%
Other	1	0.6%	5	2.5%	400.0%	2	0.8%	0	0.0%	-100.0%	0	0.0%	2	1.9%	#DIV/0!
<b>Total:</b>	161	100.0%	197	100.0%	22.4%	246	100.0%	317	100.0%	28.9%	132	100.0%	108	100.0%	-18.2%
<b>Pediatric AIDS Exposure Categories (ages 0-12)</b>	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
Mother with/at risk for HIV infection	0	#DIV/0!	1	100%	#DIV/0!	2	100%	4	100%	100.0%	0	#DIV/0!	0	#DIV/0!	#DIV/0!
Risk not reported/Other	0	#DIV/0!	0	0%	#DIV/0!	0	0%	0	0%	#DIV/0!	0	#DIV/0!	0	#DIV/0!	#DIV/0!
<b>Total:</b>	0	#DIV/0!	1	100%	#DIV/0!	2	100%	4	100%	100.0%	0	#DIV/0!	0	#DIV/0!	#DIV/0!

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Reported in 2012 & 2013					HIV Infection Cases Reported in 2012 & 2013					HIV/AIDS Case Deaths in 2012 & 2013				
	AIDS New Cases are defined as the number of new AIDS cases reported during the period specified, data as of 12/31/2013.					HIV Infection Cases Reported: is defined as the number of new HIV cases reported during the period specified, data as of 12/31/2013.					HIV or AIDS cases that died (regardless of cause) in 2013, data as of 06/30/2013.				
Special Populations	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change	2012	% of Total	2013	% of Total	% change
White MSM*	37	N/A	32	N/A	-13.5%	124	N/A	137	N/A	10.5%	32	N/A	17	N/A	-46.9%
Black MSM*	74	N/A	112	N/A	51.4%	150	N/A	203	N/A	35.3%	45	N/A	40	N/A	-11.1%
Hispanic MSM*	188	N/A	209	N/A	11.2%	432	N/A	565	N/A	30.8%	67	N/A	55	N/A	-17.9%
white Male IDU**	3	N/A	4	N/A	33.3%	3	N/A	5	N/A	66.7%	1	N/A	3	N/A	200.0%
Black Male IDU**	13	N/A	12	N/A	-7.7%	9	N/A	6	N/A	-33.3%	37	N/A	23	N/A	-37.8%
Hispanic Male IDU**	16	N/A	15	N/A	-6.3%	11	N/A	16	N/A	45.5%	14	N/A	11	N/A	-21.4%
white Female IDU**	1	N/A	5	N/A	400.0%	3	N/A	3	N/A	0.0%	4	N/A	1	N/A	-75.0%
Black Female IDU**	12	N/A	13	N/A	8.3%	12	N/A	7	N/A	-41.7%	23	N/A	17	N/A	-26.1%
Hispanic Female IDU**	3	N/A	4	N/A	33.3%	2	N/A	4	N/A	100.0%	5	N/A	1	N/A	-80.0%
white Male Homeless	0	N/A	0	N/A	#DIV/0!	1	N/A	2	N/A	100.0%	2	N/A	0	N/A	-100.0%
Black Male Homeless	2	N/A	1	N/A	-50.0%	3	N/A	1	N/A	-66.7%	1	N/A	2	N/A	100.0%
Hispanic Male Homeless	3	N/A	0	N/A	-100.0%	5	N/A	3	N/A	-40.0%	2	N/A	1	N/A	-50.0%
white Female Homeless	0	N/A	0	N/A	#DIV/0!	0	N/A	1	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!
Black Female Homeless	1	N/A	0	N/A	-100.0%	1	N/A	0	N/A	-100.0%	0	N/A	0	N/A	#DIV/0!
Hispanic Female Homeless	0	N/A	1	N/A	#DIV/0!	2	N/A	1	N/A	-50.0%	1	N/A	0	N/A	-100.0%
Male Haitian Born	38	N/A	36	N/A	-5.3%	43	N/A	41	N/A	-4.7%	22	N/A	16	N/A	-27.3%
Female Haitian Born	30	N/A	41	N/A	36.7%	44	N/A	54	N/A	22.7%	23	N/A	13	N/A	-43.5%
white Male Youth (ages 13-24)	2	N/A	1	N/A	-50.0%	12	N/A	16	N/A	33.3%	0	N/A	0	N/A	#DIV/0!
Black Male Youth (ages 13-24)	14	N/A	19	N/A	35.7%	68	N/A	72	N/A	5.9%	4	N/A	1	N/A	-75.0%
Hispanic Male Youth (ages 13-24)	17	N/A	16	N/A	-5.9%	70	N/A	88	N/A	25.7%	0	N/A	0	N/A	#DIV/0!
white Female Youth (ages 13-24)	1	N/A	0	N/A	-100.0%	4	N/A	1	N/A	-75.0%	0	N/A	0	N/A	#DIV/0!
Black Female Youth (ages 13-24)	10	N/A	13	N/A	30.0%	37	N/A	26	N/A	-29.7%	1	N/A	3	N/A	200.0%
Hispanic Female Youth (ages 13-24)	1	N/A	1	N/A	0.0%	7	N/A	14	N/A	100.0%	0	N/A	0	N/A	#DIV/0!
White WCBA* (ages 15-44)	3	N/A	7	N/A	133.3%	9	N/A	6	N/A	-33.3%	1	N/A	2	N/A	100.0%
Black WCBA* (ages 15-44)	59	N/A	65	N/A	10.2%	115	N/A	118	N/A	2.6%	37	N/A	26	N/A	-29.7%
Hispanic WCBA* (ages 15-44)	20	N/A	22	N/A	10.0%	35	N/A	56	N/A	60.0%	2	N/A	5	N/A	150.0%
White Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	0	N/A	0	N/A	#DIV/0!	0	N/A	2	N/A	#DIV/0!
Black Ped Cases (ages 0-12)	0	N/A	1	N/A	#DIV/0!	2	N/A	3	N/A	50.0%	0	N/A	26	N/A	#DIV/0!
Hispanic Ped Cases (ages 0-12)	0	N/A	0	N/A	#DIV/0!	0	N/A	1	N/A	#DIV/0!	0	N/A	5	N/A	#DIV/0!
DOC cases	6	N/A	9	N/A	50.0%	26	N/A	26	N/A	0.0%	8	N/A	8	N/A	0.0%

\*WCBA=Women of Child Bearing Age

HIV data includes those cases that have converted to AIDS. These HIV cases cannot be added with AIDS cases to get combined totals since the categories are not mutually exclusive.

\*MSM includes MSM & MSM/IDU

\*\*Male IDU includes IDU & MSM/IDU

**BACKGROUND DATA FOR THE NEXT WORKSHEET. DO NOT DELETE THIS PAGE, AS THE NEXT WORKSHEET LINKS WITH THIS PAGE.**

“Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State.” [CARE Act]

Section 2 – Table 1b: Background Data Used for the Calculations of AIDS Prevalence, and HIV (not AIDS) Prevalence (excl DOC), Partnership 11a (Miami-Dade).

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2013 as of 06/30/2013		HIV (not AIDS) Case Prevalence (excl DOC) through 2013 as of 06/30/2013		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2013 as of 06/30/2013	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
<b>Race/Ethnicity</b>	<b># number</b>	<b>% of Total</b>	<b># number</b>	<b>% of Total</b>	<b># number</b>	<b>% of Total</b>
White, not Hispanic	1,574	11.3%	1,681	13.4%	3,255	12.3%
Black, not Hispanic	6,590	47.2%	5,287	42.2%	11,877	44.8%
Hispanic	5,566	39.9%	5,393	43.1%	10,959	41.4%
Asian/Pacific Islander	26	0.2%	40	0.3%	66	0.2%
American Indian/Alaskan Native	1	0.0%	5	0.0%	6	0.0%
Not Specified/Other	209	1.5%	118	0.9%	327	1.2%
<b>Total:</b>	<b>13,966</b>	<b>100.0%</b>	<b>12,524</b>	<b>100.0%</b>	<b>26,490</b>	<b>100.0%</b>
<b>Gender</b>	<b># number</b>	<b>% of Total</b>	<b># number</b>	<b>% of Total</b>	<b># number</b>	<b>% of Total</b>
Male	9,932	71.1%	9,071	72.4%	19,003	71.7%
Female	4,034	28.9%	3,453	27.6%	7,487	28.3%
<b>Total:</b>	<b>13,966</b>	<b>100.0%</b>	<b>12,524</b>	<b>100.0%</b>	<b>26,490</b>	<b>100.0%</b>
<b>Current Age on 12/31/2013 (Years)</b>	<b># number</b>	<b>% of Total</b>	<b># number</b>	<b>% of Total</b>	<b># number</b>	<b>% of Total</b>
0- 2 years	0	0.0%	3	0.0%	3	0.0%
3-12 years	11	0.1%	31	0.2%	42	0.2%
13-19 years	61	0.4%	124	1.0%	185	0.7%
20-24 years	205	1.5%	508	4.1%	713	2.7%
25-29 years	374	2.7%	928	7.4%	1,302	4.9%
30-39 years	1,480	10.6%	2,579	20.6%	4,059	15.3%
40-44 years	1,624	11.6%	1,762	14.1%	3,386	12.8%
45-49 years	2,475	17.7%	2,133	17.0%	4,608	17.4%
50-59 years	5,043	36.1%	3,023	24.1%	8,066	30.4%
60+ years	2,693	19.3%	1,433	11.4%	4,126	15.6%
<b>Total:</b>	<b>13,966</b>	<b>100.0%</b>	<b>12,524</b>	<b>100.0%</b>	<b>26,490</b>	<b>100.0%</b>

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	AIDS Case Prevalence (excl DOC) through 2013 as of 06/30/2013		HIV (not AIDS) Case Prevalence (excl DOC) through 2013 as of 06/30/2013		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2013 as of 06/30/2013	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
<b>Male Adult/Adolescent AIDS Exposure Category</b>	# number	% of Total	# number	% of Total	# number	% of Total
MSM	6,429	64.8%	6,809	75.2%	13,238	69.8%
IDU	747	7.5%	301	3.3%	1,048	5.5%
MSM/IDU	470	4.7%	247	2.7%	717	3.8%
Heterosexual	2,151	21.7%	1,642	18.1%	3,793	20.0%
Other	130	1.3%	53	0.6%	183	1.0%
<b>Total:</b>	<b>9,927</b>	<b>100.0%</b>	<b>9,052</b>	<b>100.0%</b>	<b>18,979</b>	<b>100.0%</b>
<b>Female Adult/Adolescent AIDS Exposure Category</b>	# number	% of Total	# number	% of Total	# number	% of Total
IDU	543	13.5%	250	7.3%	793	10.6%
Heterosexual	3,347	83.1%	3,106	90.3%	6,453	86.4%
Other	138	3.4%	82	2.4%	220	2.9%
<b>Total:</b>	<b>4,028</b>	<b>100.0%</b>	<b>3,438</b>	<b>100.0%</b>	<b>7,466</b>	<b>100.0%</b>
<b>Pediatric AIDS Exposure Categories (current ages 0-12)</b>	# number	% of Total	# number	% of Total	# number	% of Total
Mother with/at risk for HIV infection	11	100.0%	32	94.1%	43	95.6%
Risk not reported/Other	0	0.0%	2	5.9%	2	4.4%
<b>Total:</b>	<b>11</b>	<b>100.0%</b>	<b>34</b>	<b>100.0%</b>	<b>45</b>	<b>100.0%</b>



Demographic Group/ Exposure Category	AIDS Case Prevalence (excl DOC) through 2013 as of 06/30/2013		HIV (not AIDS) Case Prevalence (excl DOC) through 2013 as of 06/30/2013		HIV/AIDS Case Prevalence PLWHA (excl DOC) through 2013 as of 06/30/2013	
	AIDS Case Prevalence is defined as the number of reported AIDS Cases as of the date specified.		HIV Case Prevalence is defined as the number of reported living HIV (not AIDS) cases as of the date specified.		HIV/AIDS Case Prevalence is defined as the number of reported living HIV (not AIDS) and AIDS cases as of the date specified.	
<b>Special Populations</b>	# number	% of Total	# number	% of Total	# number	% of Total
White MSM	1,295	N/A	1,424	N/A	2,719	N/A
Black MSM	1,619	N/A	1,491	N/A	3,110	N/A
Hispanic MSM	3,861	N/A	4,038	N/A	7,899	N/A
white Male IDU	131	N/A	71	N/A	202	N/A
Black Male IDU	642	N/A	256	N/A	898	N/A
Hispanic Male IDU	422	N/A	216	N/A	638	N/A
white Female IDU	62	N/A	36	N/A	98	N/A
Black Female IDU	379	N/A	157	N/A	536	N/A
Hispanic Female IDU	86	N/A	62	N/A	148	N/A
white Male Homeless	23	N/A	69	N/A	92	N/A
Black Male Homeless	81	N/A	115	N/A	196	N/A
Hispanic Male Homeless	63	N/A	164	N/A	227	N/A
white Female Homeless	2	N/A	18	N/A	20	N/A
Black Female Homeless	17	N/A	113	N/A	130	N/A
Hispanic Female Homeless	12	N/A	42	N/A	54	N/A
Male Haitian Born	999	N/A	479	N/A	1,478	N/A
Female Haitian Born	784	N/A	516	N/A	1,300	N/A
white Male Youth (current ages 13-24)	4	N/A	28	N/A	32	N/A
Black Male Youth (current ages 13-24)	104	N/A	220	N/A	324	N/A
Hispanic Male Youth (current ages 13-24)	39	N/A	166	N/A	205	N/A
white Female Youth (current ages 13-24)	5	N/A	7	N/A	12	N/A
Black Female Youth (current ages 13-24)	92	N/A	160	N/A	252	N/A
Hispanic Female Youth (current ages 13-24)	18	N/A	43	N/A	61	N/A
White WCBA* (current ages 15-44)	56	N/A	81	N/A	137	N/A
Black WCBA* (current ages 15-44)	958	N/A	1,211	N/A	2,169	N/A
Hispanic WCBA* (current ages 15-44)	262	N/A	372	N/A	634	N/A
White Ped Cases (current ages 0-12)	0	N/A	0	N/A	0	N/A
Black Ped Cases (current ages 0-12)	9	N/A	25	N/A	34	N/A
Hispanic Ped Cases (current ages 0-12)	2	N/A	9	N/A	11	N/A
DOC Cases	393	N/A	393	N/A	786	N/A

\*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU

Male IDU includes IDU & MSM/IDU

## Attachment 6 Co-Morbidities / Other Factors / Surrogate Markers

## Partnership 11a (Miami-Dade) Miami EMA

Documented Co-morbidity cases in 2013	Prevalence of the HIV/AIDS Population in this Area from the Care Table	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Proportional Rate of this Co-morbidity among the population of this Disease in this Area	Data Source	Date of Data
	N= 25,619				
AIDS Cases diagnosed through 2013 with Tuberculosis diagnosed in 2013	13	50.7	9.6%	eHARS	Data through 2013 (data as of 06/30/2014)
Infectious Syphilis reported in 2013 among HIV/AIDS patients	172	671.4	41.6%	PRISM	Data through 2013 (data as of 04/2014)
Gonorrhea reported in 2013 among HIV/AIDS patients	239	932.9	10.0%	PRISM	Data through 2013 (data as of 04/2014)
Chlamydia reported in 2013 among HIV/AIDS patients	306	1194.4	3.0%	PRISM	Data through 2013 (data as of 04/2014)
Hepatitis C (defined as <u>any</u> HIV/AIDS case noted with a history of acute and/or chronic viral Hepatitis C and documented in HARS and/or MERLIN )	2007	7834.0	N/A	eHARS (local use variable) and/or matched with reported cases in the Hepatitis database	Data through 2013 (data as of 06/30/2014)

Other Factors / Surrogate Markers Documented in 2013	Prevalence of the HIV/AIDS Population in this Area from the Care Table	Prevalence Rate of this Indicator per 100,000 living HIV/AIDS Cases from this Area	Data Source	Date of Data	
Homelessness (defined as any living HIV/AIDS case who was homeless at diagnosis of HIV or AIDS and documented in HARS)	117	456.7	eHARS (address variable)	Data through 2013 (data as of 06/30/2014)	
Substance Abuse (defined as any living HIV/AIDS case noted with a history of substance abuse, e.g., alcohol, methamphetamine, cocaine, inhalants, etc, and documented in HARS)	3,616	14,114.5	eHARS (local use variable)	Data through 2013 (data as of 06/30/2014)	
Chronic Mental Illness (defined as any living HIV/AIDS case noted with a history of mental illness and documented in HARS)	890	3,474.0	eHARS (local use variable)	Data through 2013 (data as of 06/30/2014)	
MSM (estimated seroprevalance of males with HIV/AIDS who have an MSM or MSM/IDU risk)	6,719	26,226.6	(PLWHA data)	Data through 2013 (data as of 06/30/2014)	
IDU (estimated seroprevalance of persons with HIV/AIDS who have and IDU or MSM/IDU risk)	1,715	6,694.3	(PLWHA data)	Data through 2013 (data as of 06/30/2014)	
Release of FL Department of Corrections Cases into the Local Area	Total Offenders Released	HIV-infected Offenders Released		Data Source	Date of Data
		Number	% HIV+		
Offenders who returned to the Area in 2013	2,052	91	4.4%	Dept. of Corrections Offender-based Information System	CY 2013, data as of 02/2014
Offenders who returned to the Area in 2012	2,075	104	5.0%	Dept. of Corrections Offender-based Information System	CY 2012, data as of 04/2014
Offenders who returned to the Area in 2011	2,159	111	5.1%	Dept. of Corrections Offender-based Information System	CY 2011, data as of 03/2012

BACKGROUND DATA FOR THE NEXT WORKSHEET. DO NOT DELETE THIS PAGE, AS THE NEXT WORKSHEET LINKS WITH THIS PAGE.

“Section 2617 (B)(2) states that the application for Title II funds shall contain a determination of the size and demographics of the population of people living with HIV in the State.” [CARE Act]

Section 2 – Table 1b: Background Data Used for the Calculations of AIDS Prevalence, and HIV (not AIDS) Prevalence (excl DOC), Miami EMA

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2013 as of 06/30/2014				PLWA receiving primary medical services in a 12-month period.		PLWA IN care and NOT IN care in CY 2013			PLWH receiving primary medical services in a 12-month period.		Percent of PLWH IN care and NOT IN care in CY 2013			PLWHA receiving primary medical services in a 12-month period.		Percent of PLWHA IN care and NOT IN care in CY 2013	
	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	Percent of PLWA in care over number PLWA.	Percent of PLWA NOT in care over number PLWA.	Number of PLWA NOT in care (PLWA minus PLWA in care).	PLWHs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS in 2013.	% of Total	Percent of PLWH in care over number PLWA.	Percent of PLWH NOT in care over number PLWA.	Number of PLWH NOT in care (PLWH minus PLWH in care).	PLWHAs in care via ADAP, HMS, Medicaid, ELR or paper labs that matched with HARS in 2013	% of Total	Percent of PLWHA in care over number PLWA.	Percent of PLWHA NOT in care over number PLWA.
Race/Ethnicity	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care
White, not Hispanic	1,431	1,544	2,975	11.6%	628	8.4%	44%	56%	803	540	13.4%	35%	65%	1,004	1,168	10.1%	39%	61%
Black, not Hispanic	6,486	5,153	11,639	45.4%	3,726	49.8%	57%	43%	2,760	1,520	37.7%	29%	71%	3,633	5,246	45.6%	45%	55%
Hispanic	5,452	5,179	10,631	41.5%	3,001	40.1%	55%	45%	2,451	1,909	47.4%	37%	63%	3,270	4,910	42.6%	46%	54%
Asian/Pacific Islander	31	39	70	0.3%	14	0.2%	45%	55%	17	9	0.2%	23%	77%	30	23	0.2%	33%	67%
American Indian/Alaskan Native	0	4	4	0.0%	0	0.0%	#DIV/0!	#DIV/0!	0	1	0.0%	25%	75%	3	1	0.0%	25%	75%
Not Specified/Other	197	103	300	1.2%	118	1.6%	60%	40%	79	48	1.2%	47%	53%	55	166	1.4%	55%	45%
<b>Total:</b>	<b>13,597</b>	<b>12,022</b>	<b>25,619</b>	<b>100.0%</b>	<b>7,487</b>	<b>100.0%</b>	<b>55%</b>	<b>45%</b>	<b>6,110</b>	<b>4,027</b>	<b>100.0%</b>	<b>33%</b>	<b>67%</b>	<b>7,995</b>	<b>11,514</b>	<b>100.0%</b>	<b>45%</b>	<b>55%</b>
Gender	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care
Male	9,691	8,672	18,363	71.7%	5,148	68.8%	53%	47%	4,543	2,898	72.0%	33%	67%	5,774	8,046	69.9%	44%	56%
Female	3,906	3,350	7,256	28.3%	2,339	31.2%	60%	40%	1,567	1,129	28.0%	34%	66%	2,221	3,468	30.1%	48%	52%
<b>Total:</b>	<b>13,597</b>	<b>12,022</b>	<b>25,619</b>	<b>100.0%</b>	<b>7,487</b>	<b>100.0%</b>	<b>55%</b>	<b>45%</b>	<b>6,110</b>	<b>4,027</b>	<b>100.0%</b>	<b>33%</b>	<b>67%</b>	<b>7,995</b>	<b>11,514</b>	<b>100.0%</b>	<b>45%</b>	<b>55%</b>
Current Age on 12/31/2013 (Years)	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care
0- 2 years	0	3	3	0.0%	0	0.0%	#DIV/0!	#DIV/0!	0	1	0.0%	33%	67%	2	1	0.0%	33%	67%
3-12 years	9	26	35	0.1%	1	0.0%	11%	89%	8	2	0.0%	8%	92%	24	3	0.0%	9%	91%
13-19 years	60	118	178	0.7%	22	0.3%	37%	63%	38	26	0.6%	22%	78%	92	48	0.4%	27%	73%
20-24 years	211	497	708	2.8%	132	1.8%	63%	37%	79	188	4.7%	38%	62%	309	320	2.8%	45%	55%
25-29 years	382	940	1,322	5.2%	238	3.2%	62%	38%	144	322	8.0%	34%	66%	618	560	4.9%	42%	58%
30-39 years	1,474	2,448	3,922	15.3%	897	12.0%	61%	39%	577	790	19.6%	32%	68%	1,658	1,687	14.7%	43%	57%
40-44 years	1,567	1,651	3,218	12.6%	924	12.3%	59%	41%	643	504	12.5%	31%	69%	1,147	1,428	12.4%	44%	56%
45-49 years	2,393	2,031	4,424	17.3%	1,348	18.0%	56%	44%	1,045	697	17.3%	34%	66%	1,334	2,045	17.8%	46%	54%
50-59 years	4,900	2,911	7,811	30.5%	2,621	35.0%	53%	47%	2,279	1,036	25.7%	36%	64%	1,875	3,657	31.8%	47%	53%
60+ years	2,601	1,397	3,998	15.6%	1,304	17.4%	50%	50%	1,297	461	11.4%	33%	67%	936	1,765	15.3%	44%	56%
<b>Total:</b>	<b>13,597</b>	<b>12,022</b>	<b>25,619</b>	<b>100.0%</b>	<b>7,487</b>	<b>100.0%</b>	<b>55%</b>	<b>45%</b>	<b>6,110</b>	<b>4,027</b>	<b>100.0%</b>	<b>33%</b>	<b>67%</b>	<b>7,995</b>	<b>11,514</b>	<b>100.0%</b>	<b>45%</b>	<b>55%</b>

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2013 as of 06/30/2014				PLWA receiving primary medical services in a 12-month period.		PLWA IN care and NOT IN care in CY 2013			PLWH receiving primary medical services in a 12-month period.		Percent of PLWH IN care and NOT IN care in CY 2013			PLWHA receiving primary medical services in a 12-month period.		Percent of PLWHA IN care and NOT IN care in CY 2013	
	Living AIDS (PLWA) & HIV (not AIDS) (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.				PLWAs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS with HIVAIDS cases alive through 2013.		Percent of PLWA in care over number PLWA.	Percent of PLWA NOT in care over number PLWA.	Number of PLWA NOT in care (PLWA minus PLWA in care).	PLWHs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS in 2013.		Percent of PLWH in care over number PLWA.	Percent of PLWH NOT in care over number PLWA.	Number of PLWH NOT in care (PLWH minus PLWH in care).	PLWHAs in care via ADAP, HMS, Medicaid, ELR or paper labs that matched with HARS in 2013		Percent of PLWHA in care over number PLWA.	Percent of PLWHA NOT in care over number PLWA.
	Male Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care
MSM	6,252	6,457	12,709	49.6%	3,357	44.8%	54%	46%	2,895	2,300	57.1%	36%	64%	4,157	5,657	49.1%	45%	55%
IDU	719	293	1,012	4.0%	323	4.3%	45%	55%	396	73	1.8%	25%	75%	220	396	3.4%	39%	61%
MSM/IDU	467	245	712	2.8%	267	3.6%	57%	43%	200	89	2.2%	36%	64%	156	356	3.1%	50%	50%
Heterosexual	2,127	1,611	3,738	14.6%	1,151	15.4%	54%	46%	976	430	10.7%	27%	73%	1,181	1,581	13.7%	42%	58%
Other	122	49	171	0.7%	50	0.7%	41%	59%	72	5	0.1%	10%	90%	44	55	0.5%	32%	68%
<b>Total:</b>	<b>9,687</b>	<b>8,655</b>	<b>18,342</b>	<b>71.6%</b>	<b>5,148</b>	<b>68.8%</b>	<b>53%</b>	<b>47%</b>	<b>4,539</b>	<b>2,897</b>	<b>71.9%</b>	<b>33%</b>	<b>67%</b>	<b>5,758</b>	<b>8,045</b>	<b>69.9%</b>	<b>44%</b>	<b>56%</b>
Female Adult/Adolescent AIDS Exposure Category	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care
IDU	529	239	768	3.0%	317	4.2%	60%	40%	212	89	2.2%	37%	63%	150	406	3.5%	53%	47%
Heterosexual	3,248	3,026	6,274	24.5%	1,952	26.1%	60%	40%	1,296	1,028	25.5%	34%	66%	1,998	2,980	25.9%	47%	53%
Other	124	73	197	0.8%	69	0.9%	56%	44%	55	10	0.2%	14%	86%	63	79	0.7%	40%	60%
<b>Total:</b>	<b>3,901</b>	<b>3,338</b>	<b>7,239</b>	<b>28.3%</b>	<b>2,338</b>	<b>31.2%</b>	<b>60%</b>	<b>40%</b>	<b>1,563</b>	<b>1,127</b>	<b>28.0%</b>	<b>34%</b>	<b>66%</b>	<b>2,211</b>	<b>3,465</b>	<b>30.1%</b>	<b>48%</b>	<b>52%</b>
Pediatric AIDS Exposure Categories (current ages 0-12)	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care
Mother with/at risk for HIV infection	9	28	37	0.1%	1	0.0%	11%	89%	8	3	0.1%	11%	89%	25	4	0.0%	11%	89%
Risk not diagnosed/Other	0	1	1	0.0%	0	0.0%	#DIV/0!	#DIV/0!	0	0	0.0%	0%	100%	1	0	0.0%	0%	100%
<b>Total:</b>	<b>9</b>	<b>29</b>	<b>38</b>	<b>0.1%</b>	<b>1</b>	<b>0.0%</b>	<b>11%</b>	<b>89%</b>	<b>8</b>	<b>3</b>	<b>0.1%</b>	<b>10%</b>	<b>90%</b>	<b>1</b>	<b>4</b>	<b>0.0%</b>	<b>11%</b>	<b>89%</b>



Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Living AIDS Cases & HIV (not AIDS) (excl DOC) diagnosed through 2013 as of 06/30/2014				PLWA receiving primary medical services in a 12-month period.			PLWA IN care and NOT IN care in CY 2013			PLWH receiving primary medical services in a 12-month period.			Percent of PLWH IN care and NOT IN care in CY 2013			PLWHA receiving primary medical services in a 12-month period.			Percent of PLWHA IN care and NOT IN care in CY 2013															
	Living AIDS (PLWA) & HIV (not AIDS) (PLWHA) and PLWHA Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Florida, regardless where diagnosed.				PLWAs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS with HIV/AIDS cases alive through 2013.			Percent of PLWA in care over number PLWA.			Percent of PLWA NOT in care over number PLWA.			Number of PLWA NOT in care (PLWA minus PLWA in care).			PLWHs in care via ADAP, HMS, Medicaid, Careware databases, or Electronic or paper labs that matched with eHARS in 2013.			Percent of PLWH in care over number PLWA.			Percent of PLWH NOT in care over number PLWA.			Number of PLWH NOT in care (PLWH minus PLWH in care).			PLWHAs in care via ADAP, HMS, Medicaid, ELR or paper labs that matched with eHARS in 2013			Percent of PLWHA in care over number PLWA.		Percent of PLWHA NOT in care over number PLWA.	
	PLWA	PLWH	PLWHA	% of Total	PLWA	% of Total	% in care	%NOT in care	# NOT in care	PLWH	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care	# NOT in care	PLWHA	% of Total	% in care	%NOT in care												
<b>Special Populations</b>																																			
White Heterosexual (MIAMI-DADE ONLY)	147	195	342	N/A	84	N/A	57%	43%	63	59	N/A	30%	70%	136	143	0	42%	58%																	
Hispanic Heterosexual (MIAMI-DADE ONLY)	3,854	3,262	7,116	N/A	2,245	N/A	58%	42%	1,609	985	N/A	30%	70%	2,277	3,230	0	45%	55%																	
Black Heterosexual (MIAMI-DADE ONLY)	1,298	1,133	2,431	N/A	734	N/A	57%	43%	564	396	N/A	35%	65%	737	1,130	0	46%	54%																	
Black Heterosexual Males (MIAMI-DADE ONLY)	1,512	1,128	2,640	N/A	824	N/A	54%	46%	688	277	N/A	25%	75%	851	1,101	0	42%	58%																	
Black Heterosexual Females (MIAMI-DADE ONLY)	2,342	2,134	4,476	N/A	1,421	N/A	61%	39%	921	707	N/A	33%	67%	1,427	2,128	0	48%	52%																	
White MSM	1,161	1,291	2,452	N/A	491	N/A	42%	58%	670	461	N/A	36%	64%	830	952	0	39%	61%																	
Black MSM	1,627	1,446	3,073	N/A	951	N/A	58%	42%	676	411	N/A	28%	72%	1,035	1,362	0	44%	56%																	
Hispanic MSM	3,807	3,876	7,683	N/A	2,112	N/A	55%	45%	1,695	1,483	N/A	38%	62%	2,393	3,595	0	47%	53%																	
White Male IDU	125	67	192	N/A	54	N/A	43%	57%	71	17	N/A	25%	75%	50	71	0	37%	63%																	
Black Male IDU	631	255	886	N/A	330	N/A	52%	48%	301	77	N/A	30%	70%	178	407	0	46%	54%																	
Hispanic Male IDU	406	211	617	N/A	187	N/A	46%	54%	219	66	N/A	31%	69%	145	253	0	41%	59%																	
White Female IDU	55	31	86	N/A	30	N/A	55%	45%	25	14	N/A	45%	55%	17	44	0	51%	49%																	
Black Female IDU	375	151	526	N/A	232	N/A	62%	38%	143	62	N/A	41%	59%	89	294	0	56%	44%																	
Hispanic Female IDU	82	54	136	N/A	43	N/A	52%	48%	39	11	N/A	20%	80%	43	54	0	40%	60%																	
White Male Homeless	14	44	58	N/A	0	N/A	0%	100%	14	1	N/A	2%	98%	43	1	0	2%	98%																	
Black Male Homeless	45	72	117	N/A	4	N/A	9%	91%	41	0	N/A	0%	100%	72	4	0	3%	97%																	
Hispanic Male Homeless	37	111	148	N/A	0	N/A	0%	100%	37	2	N/A	2%	98%	109	2	0	1%	99%																	
White Female Homeless	2	11	13	N/A	0	N/A	0%	100%	2	1	N/A	9%	91%	10	1	0	8%	92%																	
Black Female Homeless	12	81	93	N/A	2	N/A	17%	83%	10	2	N/A	2%	98%	79	4	0	4%	96%																	
Hispanic Female Homeless	7	32	39	N/A	0	N/A	0%	100%	7	0	N/A	0%	100%	32	0	0	0%	100%																	
Male Haitian Born	976	468	1,444	N/A	437	N/A	45%	55%	539	98	N/A	21%	79%	370	535	0	37%	63%																	
Female Haitian Born	768	498	1,266	N/A	432	N/A	56%	44%	336	170	N/A	34%	66%	328	602	0	48%	52%																	
White Male Youth (current ages 13-24)	3	27	30	N/A	1	N/A	33%	67%	2	11	N/A	41%	59%	16	12	0	40%	60%																	
Black Male Youth (current ages 13-24)	106	215	321	N/A	52	N/A	49%	51%	54	62	N/A	29%	71%	153	114	0	36%	64%																	
Hispanic Male Youth (current ages 13-24)	49	162	211	N/A	30	N/A	61%	39%	19	63	N/A	39%	61%	99	93	0	44%	56%																	
White Female Youth (current ages 13-24)	5	7	12	N/A	3	N/A	60%	40%	2	4	N/A	57%	43%	3	7	0	58%	42%																	
Black Female Youth (current ages 13-24)	89	153	242	N/A	60	N/A	67%	33%	29	57	N/A	37%	63%	96	117	0	48%	52%																	
Hispanic Female Youth (current ages 13-24)	16	42	58	N/A	5	N/A	31%	69%	11	15	N/A	36%	64%	27	20	0	34%	66%																	
White WCBA* (current ages 15-44)	58	80	138	N/A	36	N/A	62%	38%	22	33	N/A	41%	59%	47	69	0	50%	50%																	
Black WCBA* (current ages 15-44)	920	1,166	2,086	N/A	601	N/A	65%	35%	319	361	N/A	31%	69%	805	962	0	46%	54%																	
Hispanic WCBA* (current ages 15-44)	246	357	603	N/A	140	N/A	57%	43%	106	124	N/A	35%	65%	233	264	0	44%	56%																	
White Ped Cases (current current ages 0-12)	0	0	0	N/A	0	N/A	#DIV/0!	#DIV/0!	0	0	N/A	#DIV/0!	#DIV/0!	0	0	0	#DIV/0!	#DIV/0!																	
Black Ped Cases (current ages 0-12)	8	23	31	N/A	1	N/A	13%	88%	7	2	N/A	9%	91%	21	3	0	10%	90%																	
Hispanic Ped Cases (current ages 0-12)	1	6	7	N/A	0	N/A	0%	100%	1	1	N/A	17%	83%	5	1	0	14%	86%																	
DOC Cases	432	349	781	N/A	257	N/A	59%	41%	175	146	N/A	42%	58%	203	403	0	52%	48%																	

\*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU  
Male IDU includes IDU & MSM/IDU

**BACKGROUND DATA FOR THE NEXT WORKSHEET. DO NOT DI**

“Section 2617 (B)(2) states that the application for Title II funds shall contain a d  
population of people living with HIV in the State.” [CARE Act]

**Section 2 – Table 1b: Background Data Used for the Calculation**

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	# NOT IN care in	Number of PLWHA <i>NOT</i> in care (PLWHA minus PLWHA in care).
<b>Race/Ethnicity</b>	# NOT in care	
White, not Hispanic		1,807
Black, not Hispanic		6,393
Hispanic		5,721
Asian/Pacific Islander		47
American Indian/Alaskan Native		3
Not Specified/Other		134
<b>Total:</b>		<b>14,105</b>
<b>Gender</b>	# NOT in care	
Male		10,317
Female		3,788
<b>Total:</b>		<b>14,105</b>
<b>Current Age on 12/31/2013 (Years)</b>	# NOT in care	
0- 2 years		2
3-12 years		32
13-19 years		130
20-24 years		388
25-29 years		762
30-39 years		2,235
40-44 years		1,790
45-49 years		2,379
50-59 years		4,154
60+ years		2,233
<b>Total:</b>		<b>14,105</b>

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	NOT IN care in
Male Adult/Adolescent AIDS Exposure Category	Number of PLWHA <i>NOT</i> in care (PLWHA minus PLWHA in care).
# NOT in care	# NOT in care
MSM	7,052
IDU	616
MSM/IDU	356
Heterosexual	2,157
Other	116
<b>Total:</b>	<b>10,297</b>
Female Adult/Adolescent AIDS Exposure Category	# NOT in care
IDU	362
Heterosexual	3,294
Other	118
<b>Total:</b>	<b>3,774</b>
Pediatric AIDS Exposure Categories (current ages 0-12)	# NOT in care
Mother with/at risk for HIV infection	33
Risk not diagnosed/Other	1
<b>Total:</b>	<b>34</b>

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	NOT IN care in
	Number of PLWHA <u>NOT</u> in care (PLWHA minus PLWHA in care).
<b>Special Populations</b>	<b># NOT in care</b>
White Heterosexual (MIAMI-DADE ONLY)	199
Hispanic Heterosexual (MIAMI-DADE ONLY)	3,886
Black Heterosexual (MIAMI-DADE ONLY)	1,301
Black Heterosexual Males (MIAMI-DADE ONLY)	1,539
Black Heterosexual Females (MIAMI-DADE ONLY)	2,348
White MSM	1,500
Black MSM	1,711
Hispanic MSM	4,088
White Male IDU	121
Black Male IDU	479
Hispanic Male IDU	364
White Female IDU	42
Black Female IDU	232
Hispanic Female IDU	82
White Male Homeless	57
Black Male Homeless	113
Hispanic Male Homeless	146
White Female Homeless	12
Black Female Homeless	89
Hispanic Female Homeless	39
Male Haitian Born	909
Female Haitian Born	664
White Male Youth (current ages 13-24)	18
Black Male Youth (current ages 13-24)	207
Hispanic Male Youth (current ages 13-24)	118
White Female Youth (current ages 13-24)	5
Black Female Youth (current ages 13-24)	125
Hispanic Female Youth (current ages 13-24)	38
White WCBA* (current ages 15-44)	69
Black WCBA* (current ages 15-44)	1,124
Hispanic WCBA* (current ages 15-44)	339
White Ped Cases (current current ages 0-12)	0
Black Ped Cases (current ages 0-12)	28
Hispanic Ped Cases (current ages 0-12)	6
DOC Cases	378

\*WCBA=Women of Child Bearing Age

MSM includes MSM & MSM/IDU  
Male IDU includes IDU & MSM/IDU



**MIAMI EMA  
Unmet Need Framework Table, 2013**

Column 1	Column 2	Column 3	Column 4	Column 5
<b>Population Sizes</b>		<b>Value</b>		<b>Data Source(s)</b>
<b>Row A.</b>	Number of persons living with AIDS (PLWA), for the period of 01/01/2013 - 12/31/2013	13,597		eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases
<b>Row B.</b>	Number of persons living with HIV (PLWH)/non-AIDS/, for the period of 01/01/2013 - 12/31/2013	12,022		eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases
<b>Row C.</b>	Total number of HIV+, for the period of 01/01/2013 - 12/31/2013	25,619		
<b>Care Patterns</b>		<b>Value</b>	<b>Percent</b>	<b>Data Source(s)</b>
<b>Row D.</b>	Number of PLWA who <u>did</u> receive the specified HIV primary medical care services in 12-month period	7,487	55%	eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases
<b>Row E.</b>	Number of PLWH/non-AIDS/ who did receive the specified HIV primary medical care services in 12-month period	4,027	33%	eHARS and OOS data sets plus matches with ADAP, Medicaid, HMS, Care and Electronic and Paper Lab databases
<b>Row F.</b>	Total number of HIV+/ who did receive the specified HIV primary medical care services in 12-month period	11,514	45%	
<b>Calculated Results</b>		<b>Value</b>	<b>Percent</b>	<b>Calculation</b>
<b>Row G.</b>	Number of PLWA who <u>did NOT</u> receive primary medical services	6,110	45%	Value: Value A - Value D. Percent: Value G/Value A.
<b>Row H.</b>	Number of PLWH/non-AIDS/ who did NOT receive primary medical services	7,995	67%	Value: Value B - Value E. Percent: Value H/Value B.
<b>Row I.</b>	Total HIV+/ who did NOT receive specified primary medical care services (quantified estimate of unmet need)	14,105	55%	Value: Value G + Value H. Percent: Value I/Value C

# HIV/AIDS EPIDEMIOLOGY page 1

Attachment : AIDS INCIDENCE, AIDS PREVALENCE AND HIV (NOT AIDS) PREVALENCE, Miami EMA, data source: eHARS

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Newly Diagnosed AIDS Cases 2011-2013		Newly Diagnosed HIV Infection Cases 2011-2013		AIDS Prevalence through 2013 as of 06/30/2014		HIV (not AIDS) Prevalence through 2013 as of 06/30/2014		Total HIV Prevalence through 2013 as of 06/30/2014	
	Newly Diagnosed AIDS Cases is defined as the number of new AIDS cases Diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 12/31/2013		Newly Diagnosed HIV Infection Cases is defined as the number of new HIV Infection cases Diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 12/31/2013		Living AIDS Cases is defined as the number of diagnosed cases of AIDS in eHARS, as of the date specified. These include cases whose current residence is Miami Beach EMA, regardless where diagnosed.		Living HIV (not AIDS) Cases is defined as the number of diagnosed cases of HIV (not AIDS) in eHARS, as of the date specified. These include cases whose current residence is Miami Beach EMA, regardless where diagnosed.		Combined Living HIV/AIDS Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Miami Beach EMA, regardless where diagnosed.	
<b>Race/Ethnicity</b>	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
White, not Hispanic	126	6%	394	11%	1,431	11%	1,544	13%	2,975	12%
Black, not Hispanic	955	49%	1,416	39%	6,486	48%	5,153	43%	11,639	45%
Hispanic	829	43%	1,733	48%	5,452	40%	5,179	43%	10,631	41%
Asian/Pacific Islander	9	0%	31	1%	31	0%	39	0%	70	0%
American Indian/Alaskan Native	0	0%	2	0%	0	0%	4	0%	4	0%
Not Specified/Other	24	1%	21	1%	197	1%	103	1%	300	1%
<b>Total:</b>	<b>1,943</b>	<b>100%</b>	<b>3,597</b>	<b>100%</b>	<b>13,597</b>	<b>100%</b>	<b>12,022</b>	<b>100%</b>	<b>25,619</b>	<b>100%</b>
<b>Gender</b>	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
Male	1,373	71%	2,796	78%	9,691	71%	8,672	72%	18,363	72%
Female	570	29%	801	22%	3,906	29%	3,350	28%	7,256	28%
<b>Total:</b>	<b>1,943</b>	<b>100%</b>	<b>3,597</b>	<b>100%</b>	<b>13,597</b>	<b>100%</b>	<b>12,022</b>	<b>100%</b>	<b>25,619</b>	<b>100%</b>
<b>Age at Diagnosis (Incidence) / Current Age (Prevalence)</b>	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
0-12 years	0	0%	8	0%	9	0%	29	0%	38	0%
13-19 years	26	1%	123	3%	60	0%	118	1%	178	1%
20-44 years	1,016	52%	2,237	62%	3,634	27%	5,536	46%	9,170	36%
45+ years	901	46%	1,229	34%	9,894	73%	6,339	53%	16,233	63%
<b>Total:</b>	<b>1,943</b>	<b>100%</b>	<b>3,597</b>	<b>100%</b>	<b>13,597</b>	<b>100%</b>	<b>12,022</b>	<b>100%</b>	<b>25,619</b>	<b>100%</b>

# HIV/AIDS EPIDEMIOLOGY page 2

Attachment : AIDS INCIDENCE, AIDS PREVALENCE AND HIV (NOT AIDS) PREVALENCE, Miami EMA, data source: eHARS

Demographic Group/ Exposure Category RISKS REDISTRIBUTED	Newly Diagnosed AIDS Cases 2011-2013		Newly Diagnosed HIV Infection Cases 2011-2013		AIDS Prevalence through 2013 as of 06/30/2014		HIV (not AIDS) Prevalence through 2013 as of 06/30/2014		Total HIV Prevalence through 2013 as of 06/30/2014	
	Newly Diagnosed AIDS Cases is defined as the number of new AIDS cases Diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 12/31/2013		Newly Diagnosed HIV Infection Cases is defined as the number of new HIV Infection cases Diagnosed during the period specified, (excl DOC cases). Data from eHARS as of 12/31/2013		Living AIDS Cases is defined as the number of diagnosed cases of AIDS in eHARS, as of the date specified. These include cases whose current residence is Miami Beach EMA, regardless where diagnosed.		Living HIV (not AIDS) Cases is defined as the number of diagnosed cases of HIV (not AIDS) in eHARS, as of the date specified. These include cases whose current residence is Miami Beach EMA, regardless where diagnosed.		Combined Living HIV/AIDS Cases is defined as the number of diagnosed cases of HIV/AIDS in eHARS, as of the date specified. These include cases whose current residence is Miami Beach EMA, regardless where diagnosed.	
<b>Adult/Adolescent AIDS Exposure Category</b>	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
MSM	906	47%	2,227	62%	6,252	46%	6,457	54%	12,709	50%
IDU	92	5%	67	2%	1,248	9%	532	4%	1,780	7%
MSM/IDU	40	2%	40	1%	467	3%	245	2%	712	3%
Heterosexual	885	46%	1,248	35%	5,375	40%	4,637	39%	10,012	39%
Other	20	1%	7	0%	246	2%	122	1%	368	1%
<b>Total:</b>	<b>1,943</b>	<b>100%</b>	<b>3,589</b>	<b>100%</b>	<b>13,588</b>	<b>100%</b>	<b>11,993</b>	<b>100%</b>	<b>25,581</b>	<b>100%</b>
<b>Pediatric AIDS Exposure Categories (ages 0-12)</b>	#	% of Total	#	% of Total	#	% of Total	#	% of Total	#	% of Total
Mother with/at risk for HIV infection	0	#DIV/0!	8	100%	9	100%	28	97%	37	97%
Risk not Diagnosed/Other	0	#DIV/0!	0	0%	0	0%	1	3%	1	3%
<b>Total:</b>	<b>0</b>	<b>#DIV/0!</b>	<b>8</b>	<b>100%</b>	<b>9</b>	<b>100%</b>	<b>29</b>	<b>100%</b>	<b>38</b>	<b>100%</b>

MIAMI EMA  
Unmet Need Framework Table, 2011

MIAMI EMA  
Unmet Need Framework Table, 2012

MIAMI EMA  
Unmet Need Framework Table, 2013

Population Sizes		Value		Population Sizes		Value		Population Sizes		Value	
Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2011 - 12/31/2011	13,636		Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2012 - 12/31/2012	13,572		Row A.	Number of persons living with AIDS (PLWA), aware for the period of 01/01/2013 - 12/31/2013	13,597	
Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2011 - 12/31/2011	12,211		Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2012 - 12/31/2012	12,354		Row B.	Number of persons living with HIV (PLWH)/non-AIDS/aware, for the period of 01/01/2013 - 12/31/2013	12,022	
Row C.	Total number of HIV+aware, for the period of 01/01/2011 - 12/31/2011	25,847		Row C.	Total number of HIV+aware, for the period of 01/01/2012 - 12/31/2012	25,926		Row C.	Total number of HIV+aware, for the period of 01/01/2013 - 12/31/2013	25,619	
Care Patterns		Value	Percent	Care Patterns		Value	Percent	Care Patterns		Value	Percent
Row D.	Number of PLWA who <i>did</i> receive the specified HIV primary medical care services in 12-month period	8,570	63%	Row D.	Number of PLWA who <i>did</i> receive the specified HIV primary medical care services in 12-month period	8,417	62%	Row D.	Number of PLWA who <i>did</i> receive the specified HIV primary medical care services in 12-month period	7,487	55%
Row E.	Number of PLWH/non-AIDS/aware who <i>did</i> receive the specified HIV primary medical care services in 12-month period	5,037	41%	Row E.	Number of PLWH/non-AIDS/aware who <i>did</i> receive the specified HIV primary medical care services in 12-month period	5,123	41%	Row E.	Number of PLWH/non-AIDS/aware who <i>did</i> receive the specified HIV primary medical care services in 12-month period	4,027	33%
Row F.	Total number of HIV+/aware who <i>did</i> receive the specified HIV primary medical care services in 12-month period	13,607	53%	Row F.	Total number of HIV+/aware who <i>did</i> receive the specified HIV primary medical care services in 12-month period	13,540	52%	Row F.	Total number of HIV+/aware who <i>did</i> receive the specified HIV primary medical care services in 12-month period	11,514	45%
Calculated Results		Value	Percent	Calculated Results		Value	Percent	Calculated Results		Value	Percent
Row G.	Number of PLWA who <i>did NOT</i> receive primary medical services	5,066	37%	Row G.	Number of PLWA who <i>did NOT</i> receive primary medical services	5,155	38%	Row G.	Number of PLWA who <i>did NOT</i> receive primary medical services	6,110	45%
Row H.	Number of PLWH/non-AIDS/aware who <i>did NOT</i> receive primary medical services	7,174	59%	Row H.	Number of PLWH/non-AIDS/aware who <i>did NOT</i> receive primary medical services	7,231	59%	Row H.	Number of PLWH/non-AIDS/aware who <i>did NOT</i> receive primary medical services	7,995	67%
Row I.	Total HIV+/aware who <i>did NOT</i> receive specified primary medical care services (quantified estimate of unmet need)	12,240	47%	Row I.	Total HIV+/aware who <i>did NOT</i> receive specified primary medical care services (quantified estimate of unmet need)	12,386	48%	Row I.	Total HIV+/aware who <i>did NOT</i> receive specified primary medical care services (quantified estimate of unmet need)	14,105	55%

**The Continuum of HIV Care — Miami-Dade EMA, 2013**

		<b>Bar Graph Data</b>	
<b>HIV Infected</b>	HIV DX + 15.8% estimated unaware	30,426	100%
<b>HIV Diagnosed*</b>	DX, and living in Area through end of year (from Framework Table)	25,619	84%
<b>Linked to Care</b>	Alive and ever had a viral load or CD4 in eHARS	19,737	77%
<b>In care this year</b>	In care with either a viral load and/or CD4 in eHARS, &/or matched with careware and/or Medicaid (from Framework table)	11,514	45%
<b>On ART</b>	Estimated 90.6% of In care per statewide MMP estimates	10,432	41%
<b>Suppressed VL (&lt;200 copies /mL)</b>	Estimated 78.0% on ART with a suppressed viral load this year per statewide MMP estimates	8,137	32%

\*the HIV Diagnosis Bar serves as the Denominator for the remaining bars

## Number and Percentage of HIV-Infected Persons Engaged in Selected Stages of The Continuum of HIV Care - Miami EMA, 2013

	HIV Infected		HIV Diagnosed		calculated from ehars Linked to Care			In Care This Year			On ART*			Suppressed VL (<200 copies/mL) on ART*		
	Count	%	Count	%	Count	%	%	Count	%	%	Count	%	%	Count	%	%
<b>Miami-Dade</b>	<b>30,426</b>	<b>100%</b>	<b>25,619</b>	<b>84%</b>	<b>21,973</b>	<b>86%</b>	<b>86%</b>	<b>11,514</b>	<b>45%</b>	<b>52%</b>	<b>10,432</b>	<b>41%</b>	<b>91%</b>	<b>7,375</b>	<b>29%</b>	<b>71%</b>
<b>By Sex</b>																
Males	21,809	100%	18,363	84%	15,719	86%	86%	8,046	44%	51%	6,316	34%	79%	5,078	28%	80%
Females	8,618	100%	7,256	84%	6,250	86%	86%	3,468	48%	55%	3,069	42%	89%	2,185	30%	71%
<b>By Race/Ethnicity</b>																
White	3,533	100%	2,975	84%	2,685	90%	90%	1,168	39%	44%	1,087	37%	93%	948	32%	87%
Black	13,823	100%	11,639	84%	9,766	84%	84%	5,246	45%	54%	4,826	41%	92%	3,422	29%	71%
Hispanic	12,626	100%	10,631	84%	8,842	83%	83%	4,910	46%	56%	4,154	39%	85%	3,070	29%	74%
<b>By Current Age Group</b>																
13-24 yrs of age	1,052	100%	886	84%	727	82%	82%	368	42%	51%	368	42%	100%	248	28%	67%
25-49 yrs of age	15,304	100%	12,886	84%	10,832	84%	84%	5,720	44%	53%	5,194	40%	91%	3,890	30%	75%
50+ yrs of age	14,025	100%	11,809	84%	10,394	88%	88%	5,422	46%	52%	4,885	41%	90%	3,981	34%	82%
<b>By Transmission Category**</b>																
IDU	2,960	100%	2,492	84%	2,212	89%	89%	1,158	46%	52%	1,049	42%	91%	742	30%	71%
MSM	15,939	100%	13,421	84%	11,534	86%	86%	6,013	45%	52%	5,508	41%	92%	4,753	35%	86%
White MSM	2,912	100%	2,452	84%	2,217	90%	90%	952	39%	43%	883	36%	93%	798	33%	90%
Black MSM	3,650	100%	3,073	84%	2,530	82%	82%	1,362	44%	54%	1,362	44%	100%	1,158	38%	85%
Hispanic MSM	9,125	100%	7,683	84%	6,272	82%	82%	3,595	47%	57%	2,919	38%	81%	2,172	28%	74%
Heterosexual	11,891	100%	10,012	84%	8,477	85%	85%	4,561	46%	54%	4,105	41%	90%	2,910	29%	71%
Heterosexual Males	4,439	100%	3,738	84%	3,116	83%	83%	1,581	42%	51%	1,429	38%	90%	1,005	27%	70%
Heterosexual Females	7,451	100%	6,274	84%	5,358	85%	85%	2,980	47%	56%	2,670	43%	90%	1,906	30%	71%
White Heterosexual	406	100%	342	84%	306	89%	89%	143	42%	47%	138	40%	97%	103	30%	74%
Hispanic Heterosexual	8,451	100%	7,116	84%	6,034	85%	85%	3,230	45%	54%	2,807	39%	87%	2,086	29%	74%
Black Heterosexual	2,887	100%	2,431	84%	2,037	84%	84%	1,130	46%	55%	1,016	42%	90%	695	29%	68%
Black Heterosexual Males	3,135	100%	2,640	84%	2,169	82%	82%	1,101	42%	51%	989	37%	90%	699	26%	71%
Black Heterosexual Females	5,316	100%	4,476	84%	3,792	85%	85%	2,128	48%	56%	1,915	43%	90%	1,274	28%	67%

**HIV Infected** HIV DX + 15.8% estimated unaware (thus 84.2% are aware they are infected)  
**HIV Diagnosed** DX, and living in FL through end of the calendar year  
**Linked to Care** Living in Florida and ever in care (ever had a CD4 or Viral load (VL) test in the electronic HIV/AIDS Reporting System (eHARS))  
**In care this year** Calculated via Unmet Need (based on HRSA unmet need calculation)  
**On ART\*** Estimated 90.6% of In care this year in Florida per 2011 Medical Monitoring Project (MMP) data  
**Suppressed VL (<200 copies /mL)\*** Estimated 78.0% on ART & a suppressed VL (<200 copies /mL) this year in Florida per 2011 MMP data

\* Note: MMP is weighted data and cannot be subsetted to other geographical data, therefore the state estimates are applied to the local areas.

\*\*Note: MSM=MSM and MSM/IDU cases, IDU=IDU and MSM/IDU cases,