Department of Health in Miami-Dade County

Joint Integrated Plan Review Team Meeting Prevention Update November 8, 2021



Abril Sarmiento, MPH Government Operations Consultant Department of Health in Miami-Dade County STD/HIV Prevention and Control Program


Strategy P1.1 Increase access to condoms by HIV positive persons and HIV-vulnerable populations, including but not limited to injection drug users (IDU), Trans-identified persons, gay and bisexual men



Yearly Number of Condoms Distributed 2017-2020

Strategy P1.1 Increase access to condoms by HIV positive persons and HIV-vulnerable populations, including but not limited to injection drug users (IDU), Trans-identified persons, gay and bisexual men

Condom Distribution By Site 2020




Strategy P1.1 Increase access to condoms by HIV positive persons and HIV-vulnerable populations, including but not limited to injection drug users (IDU), Trans-identified persons, gay and bisexual men

Condom Distribution by Top 5 Zip Codes 2020						
Site Type	Zip Code	Total Year 2020				
Clinical/Medical Setting	33125	136,000				
Clinical/Medical Setting	33135	135,964				
Clinical/Medical Setting	33145	109,480				
CBO	33161	109,000				
Clinical/Medical Setting	33138	81,100				

Locations: Miami, North Miami, City of Miami, Little Havana, Coral Gables, Biscayne Park, Miami Shores

*Data source: condom distribution sites, HIP providers and FDOH

Strategy P1.2 Implement STD and HIV testing to raise STD and HIV prevention awareness among HIVvulnerable populations, including but not limited to IDU, Trans-identified persons, gay and bisexual men



NUMBER OF HIV TESTS STRATIFIED BY PRIORITY POPULATION 2020

*Data source: County Health Department publicly funded registered testing sites

- Number of HIV Test in 2020: **39,369**
- Number of tests that are among persons at risk for HIV in 2020: 21,729 (55.2%)
- Number of individuals newly diagnosed with HIV in 2020: 48 (0.12%)
- Number of new registered sites recruited in 2020: **5**

Strategy P1.2 Implement sexually transmitted disease (STD) and HIV testing to raise STD and HIV prevention awareness among HIV-vulnerable populations, including but not limited to IDU, Trans-identified persons, gay and bisexual men.

 Total Number of individuals newly diagnosed with an STD for 2020*: 19,727

*Data for Syphilis, Gonorrhea, and Chlamydia

Syphilis	2020			
Demographic Group	N	% of Total	Rate	
Race/Ethnicity				
Vhite	252	11.7%	68.2	
Black	409	19.0%	93.0	
Hispanic/Latin s	1,298	60.4%	65.3	
Asian/Pacific Islander	11	0.5%	-	
American Indian/Alaska Na	0	0.0%	-	
Other	136	6.3%	-	
Not Specified	42	2.0%	-	
Birth Sez				
Male	1,992	92.7%	143.1	
Female	156	7.3%	10.6	
Not Specified	42	2.0%	-	
Age				
0–2 years	0	0.0%	0.0	
3-12 years	0	0.0%	0.0	
13-19 years	52	2.4%	23.0	
20-24 gears	171	8.0%	99.8	
25–29 years	343	16.0%	171.8	
30-34 years	388	18.1%	190.0	
35–39 years	282	13.1%	144.7	
40-44 years	225	10.5%	115.7	
45–49 years	209	9.7%	100.3	
50–54 years	187	8.7%	91.0	
55–59 years	168	7.8%	84.2	
60+ years	123	5.7%	19.2	
Total	2,148	100.0%	75.0	

Strategy P1.2 Implement STD and HIV testing to raise STD and HIV prevention awareness among HIVvulnerable populations, including but not limited to IDU, Trans-identified persons, gay and bisexual men

Gonorrhea	2020			
Demographic Group	N	% of Total	Rate	
Race/Ethnicity				
White	491	9.5%	132.8	
Black	1,361	26.4%	309.5	
Hispanic/Latin z	2,090	40.6%	105.1	
Asian/Pacific Islander	21	0.4%	-	
American Indian/Alaska Na	2	0.0%	-	
Other	651	12.6%	-	
Not Specified	537	10.4%	-	
Birth Sez				
Male	3,885	75.4%	279.1	
Female	1,268	24.6%	86.1	
Not Specified	0	0.0%	-	
Age				
0-2 years	0	0.0%	0.0	
3–12 years	2	0.0%	0.6	
13–19 years	518	10.1%	229.2	
20-24 years	1,217	23.6%	710.2	
25–29 years	1,072	20.8%	537.1	
30–34 years	896	17.4%	438.7	
35–39 years	525	10.2%	269.3	
40-44 years	338	6.6%	173.9	
45-49 years	219	4.2%	105.1	
50–54 years	159	3.1%	77.3	
55–59 years	120	2.3%	60.1	
60+ years	81	1.6%	12.6	
Total	5,153	100.0%	179.9	

Chlamydia	2020				
Demographic Group	N % of Total Rate				
Race/Ethnicity					
White	622	5.0%	168.2		
Black	2,816	22.7%	640.3		
Hispanic/Latin s	3,952	31.8%	198.7		
Asian/Pacific Islander	44	0.4%	-		
American Indian/Alaska Na	4	0.0%	-		
Other	2,416	19.4%	-		
Not Specified	2,572	20.7%			
Birth Sez					
Male	5,221	42.0%	375.1		
Female	7,200	57.9%	488.9		
Not Specified	5	0.0%	-		
Age					
0–2 years	0	0.0%	0.0		
3–12 years	4	0.0%	1.2		
13-19 years	2,599	20.9%	1,149.8		
20-24 years	4,064	32.7%	2,371.7		
25-29 years	2,422	19.5%	1,213.4		
30–34 years	1,442	11.6%	706.1		
35-39 years	771	6.2%	395.5		
40-44 years	419	3.4%	215.5		
45-49 years	271	2.2%	130.1		
50-54 years	211	1.7%	102.6		
55-59 years	156	1.3%	78.2		
60+ years	63	0.5%	9.8		
Total	12,426	100.0%	433.8		

Strategy P1.3 Implement combined STD/HIV education to raise STD/HIV prevention awareness among HIV-vulnerable populations, including but not limited to IDU, Trans identified persons, gay and bisexual men

Number of Outreach Events and Interactions 2020*

Output	Year 2020
Number of Outreach Events Conducted	302
Number of interactions via Outreach Events (face-to-face and online)	76,732

*Data source: HIP Providers and FDOH Prevention Team



Strategy P2.1 Increase availability of - and access to - PreExposure Prophylaxis/nonoccupational PostExposure Prophylaxis (PrEP/nPEP)

PrEP Data 2020

nPEP Data 2020**

Output	Year 2020	Output	Year 2020
Number Individuals Screened for PrEP*	7,127	Number Individuals Screened for nPEP	6,649
Number of Individuals Eligible for PrEP*	3,133	Number of Individuals Eligible for nPEP	22
Number of Individuals New on PrEP*	980	Number of Individuals Referred to nPEP	23
Number of Individuals Referred to PrEP (HIP providers data)	1,071	Number of Individuals New to nPEP	17

*Data source: HIP Providers and FDOH PrEP Clinic



Strategy P3.1 Increase number of OB/GYN healthcare providers engaging in HIV prevention activities with pregnant women.

Strategy P3.2 Conduct targeted public information campaigns toward women at risk of HIV, to have access to OB/GYN providers, HIV prevention materials and information community services for women with HIV/AIDS

Output	Year 2020
Percentage of HIV positive pregnant women in HIV care	94%
Percentage linked of post-partum women linked to family planning services / contraception services	94%
Number of HIV Positive Women in Prenatal Care	70 of 72 Total (97.2%)
Number of agencies providing postpartum family planning services to women living with HIV	6



NHAS 2020 GOAL #2: INCREASE ACCESS TO CARE AND IMPROVE HEALTH OUTCOMES FOR PEOPLE LIVING WITH HIV OR AIDS (Linkage to Care)

L1.1 Improve existing FDOH-Part A diagnosis-to linkage client management process

Output	Year 2019	Year 2020
Number of newly diagnosed PWH	1,167	813
Number and Percentage of newly diagnosed PWH linked to care within 30 days of diagnosis	997 (85.4%)	678 (83.4%)
Number of clients enrolled through TTRA (i.e., new to HIV care, new to RWP care, returned to care)	579	480
Number of newly diagnosed clients enrolled through TTRA, new to HIV care	209	159
Number and Percentage of newly diagnosed TTRA clients who received initial 30- day supplies of ART within 7 days of date of diagnosis*	165 (78.9%)	65 (40.9%)
Number and Percentage of newly diagnosed TTRA clients enrolled in ADAP within 30 days of the first OAHS visit**	127 (60.8%)	26 (16.4%)
Number of Testing Counselors Compliant With The Annual Training Requirement	628	240

*TTRA is defined as immediate entry in HIV OAHS primary care & initiation of Antiretroviral Therapy (ART)

**OAHS: Outpatient/Ambulatory Health Services, provided by RWP

NHAS 2020 GOAL #2: INCREASE ACCESS TO CARE AND IMPROVE HEALTH OUTCOMES FOR PEOPLE LIVING WITH HIV OR AIDS (Linkage to Care)

Strategy L1.2 Provide Partner Services to identified HIV+ individuals, allowing for the notification, screening and referral to appropriate services for partners of newly-diagnosed PLWHA.

Output	Year 2015 Baseline	Year 2017	Year 2018	Year 2019	Year 2020
Percentage of all named, notifiable partners identified through HIV partner services	68%	71%	64%	54%	49%
Percentage of named, notifiable partners that were tested for HIV	48%	59%	59%	59%	57%



Indicators	2015 Baseline	2016	2017	2018	2019	2020
Reduce the rate of new diagnoses by at least 25 percent.	50.7	46.6	42.3	42.4	41.2	28.4
Reduce the number of HIV-infected infants to 0.	3	3	2	0	0	0
Increase the number of people receiving PrEP by 500%	653	1,383	2,112	3,290	4,879	Pending
Increase the percentage of people living with HIV who know their serostatus to at least 90 percent.	86%	Pending	Pending	Pending	Pending	Pending
Increase the percentage of persons with diagnosed HIV infection who are retained in HIV medical care to at least 90 percent	62%	75%	81%	79%	76%	73%
Increase the percentage of people living with HIV in the EMA who are virally suppressed (<200 copies/mL) to at least 80%	55.7%	59%	60.40%	62.60%	62.40%	61.60%





Department of Health in Miami-Dade County

Abril Sarmiento, MPH <u>Abril.Sarmiento@flhealth.gov</u>

Government Operations Consultant Florida Department of Health in Miami-Dade County STD/HIV Prevention and Control Program

