

# Group 4

## Breakout Group Guide

### Disparities in Retention in Care and Disparities in Viral Load Suppression Rates Among Priority Populations

*JIPRT Meeting, January 21, 2025*

1. Introductions - Get to know your group!
2. Designate a person to report during the Breakouts Recap.
3. On each handout, review the NHAS Goal --> Objective --> Strategy --> Activity --> Measurement --> Data
4. Consider some questions to guide discussions:
  - a. What is our data source?
  - b. Who is responsible for achieving the Objectives?
  - c. What is the target?
  - d. Are we on track to achieve the target by December 31, 2026?
  - e. What challenges are keeping us from achieving our targets?
  - f. What can we do to improve our outcomes?
  - g. Where are we having success and how can we ensure we stay on track?
  - h. Should we adjust our target?
5. What overall impressions do you want to report to the JIPRT during Breakouts Recap?

#### Acronyms and Terminology

- B/AA: Black/African American
- Hispanic: Includes persons who identify as Latina, Latino, and Latinx
- JIPRT: Joint Integrated Plan Review Team - Miami Dad HIV/AIDS Partnership Prevention and Strategic Planning Committees
- MAI: Minority AIDS Initiative
- MCM: Medical Case Management or Medical Case Manager
- MSM: Gay, bisexual, and other men who have sex with men
- NHAS: National HIV/AIDS Strategy
- OAHS: Outpatient/Ambulatory Medical Services (doctor visits)
- RiMC: Retention in Medical Care or Retained in Medical Care; defined as two or more instances of a billed medical visit, copay, or Viral Load lab test, reported at least 90 days apart in the measurement period
- RWHAP or RWP: Ryan White HIV/AIDS Program - Part A/MAI, unless otherwise noted
- VL: Viral Load: VL Suppression is defined as having less than 200 copies of HIV per milliliter of blood in the most recent test


# NHAS Goal 3: Reduce HIV-Related Disparities and Health Inequities

Disparities in Retention in Care - Objective 3.1: Increase RWHAP RiMC rates among priority populations.

Strategy: Increase RiMC rates from 81% in 2021 to 90% by December 31, 2026, for Black/African American (B/AA) Males.

Activity 3.1.1: Semi-annually track RiMC rates among RWHAP providers of MCM and OAHS services to B/AA Males.

**BASELINE**  
January 1, 2022  
**81%**  
B/AA Males RiMC



**TARGET**  
December 31, 2026



**90%**  
B/AA Males RiMC

| Measurements   | Jan-Jun 2022 | Jul-Dec 2022 | Jan-Jun 2023 | Jul-Dec 2023 | Jan-Jun 2024 |
|--|--------------|--------------|--------------|--------------|--------------|
| Male B/AA MCM Clients RiMC                               | 481          | 533          | 574          | 642          | 703          |
| Total Male B/AA MCM Clients                              | 581          | 644          | 677          | 767          | 814          |
| Number of MCM subrecipients with 90% RiMC for B/AA Males | 5            | 2            | 4            | 4            | 5            |
| Total number of MCM subrecipients with Male B/AA clients | 13           | 13           | 13           | 13           | 13           |


# NHAS Goal 3: Reduce HIV-Related Disparities and Health Inequities

Disparities in Retention in Care - Objective 3.1: Increase RWHAP RiMC rates among priority populations.

Strategy: Increase RiMC rates from 81% in 2021 to 90% by December 31, 2026, for Black/African American (B/AA) Males.

Activity 3.1.1: Semi-annually track RiMC rates among RWHAP providers of MCM and OAHS services to B/AA Males.

**BASELINE**  
January 1, 2022  
**81%**  
B/AA Males RiMC



**TARGET**  
December 31, 2026



**90%**  
B/AA Males RiMC

| Measurements  | Jan-Jun 2022 | Jul-Dec 2022 | Jan-Jun 2023 | Jul-Dec 2023 | Jan-Jun 2024 |
|---|--------------|--------------|--------------|--------------|--------------|
| Male B/AA OAHS Clients RiMC                               | 332          | 357          | 383          | 402          | 419          |
| Total Male B/AA OAHS Clients                              | 391          | 428          | 450          | 476          | 493          |
| Number of OAHS subrecipients with 90% RiMC for B/AA Males | 4            | 1            | 5            | 5            | 4            |
| Total number of OAHS subrecipients with Male B/AA clients | 11           | 11           | 11           | 11           | 11           |

# NHAS Goal 3: Reduce HIV-Related Disparities and Health Inequities

Disparities in Retention in Care - Objective 3.2: Increase RWHAP RiMC rates among priority populations.

Strategy: Increase RiMC rates from 88% in 2021 to 90% by December 31, 2026, for Black/African American (B/AA) Females.


Activity 3.2.1: Semi-annually track RiMC rates among RWHAP providers of MCM and OAHS services to B/AA Females.

## BASELINE

January 1, 2022

**88%**

B/AA Females RiMC



## TARGET

December 31, 2026



90%

B/AA Females RiMC

| Measurements   | Jan-Jun 2022 | Jul-Dec 2022 | Jan-Jun 2023 | Jul-Dec 2023 | Jan-Jun 2024 |
|--|--------------|--------------|--------------|--------------|--------------|
| Female B/AA MCM Clients RiMC                               | 242          | 254          | 266          | 306          | 344          |
| Total Female B/AA MCM Clients                              | 281          | 303          | 315          | 368          | 404          |
| Number of MCM subrecipients with 90% RiMC for B/AA Females | 4            | 4            | 6            | 3            | 3            |
| Total number of MCM subrecipients with Female B/AA clients | 12           | 12           | 12           | 12           | 12           |

# NHAS Goal 3: Reduce HIV-Related Disparities and Health Inequities

Disparities in Retention in Care - Objective 3.2: Increase RWHAP RiMC rates among priority populations.

Strategy: Increase RiMC rates from 88% in 2021 to 90% by December 31, 2026, for Black/African American (B/AA) Females.


Activity 3.2.1: Semi-annually track RiMC rates among RWHAP providers of MCM and OAHS services to B/AA Females.

## BASELINE

January 1, 2022

**88%**

B/AA Females RiMC



## TARGET

December 31, 2026



**90%**

B/AA Females RiMC

| Measurements  | Jan-Jun 2022 | Jul-Dec 2022 | Jan-Jun 2023 | Jul-Dec 2023 | Jan-Jun 2024 |
|---|--------------|--------------|--------------|--------------|--------------|
| Female B/AA OAHS Clients RiMC                               | 129          | 132          | 147          | 166          | 182          |
| Total Female B/AA OAHS Clients                              | 153          | 153          | 165          | 195          | 213          |
| Number of OAHS subrecipients with 90% RiMC for B/AA Females | 5            | 4            | 5            | 4            | 4            |
| Total number of OAHS subrecipients with Female B/AA clients | 12           | 12           | 12           | 12           | 12           |

# NHAS Goal 3: Reduce HIV-Related Disparities and Health Inequities

Disparities in Retention in Care - Objective 3.3: Increase RWHAP RiMC rates among priority populations.

Strategy: Increase RiMC rates from 85% in 2021 to 90% by December 31, 2026, for Hispanic Men Who Have Sex With Men (MSM).


Activity 3.3.1: Semi-annually track RiMC rates among RWHAP providers of MCM and OAHS services to Hispanic MSM.

## BASELINE

January 1, 2022

85%

Hispanic  
MSM RiMC



## TARGET

December 31, 2026



90% Hispanic  
MSM RiMC

| Measurements  | Jan-Jun 2022 | Jul-Dec 2022 | Jan-Jun 2023 | Jul-Dec 2023 | Jan-Jun 2024 |
|---|--------------|--------------|--------------|--------------|--------------|
| Hispanic MSM MCM Clients RiMC                               | 2115         | 2412         | 2601         | 2929         | 3190         |
| Total Hispanic MSM MCM Clients                              | 2572         | 2836         | 3047         | 3388         | 3576         |
| Number of MCM subrecipients with 90% RiMC for Hispanic MSM  | 1            | 2            | 3            | 3            | 6            |
| Total number of MCM subrecipients with Hispanic MSM clients | 13           | 13           | 13           | 13           | 13           |

# NHAS Goal 3: Reduce HIV-Related Disparities and Health Inequities

Disparities in Retention in Care - Objective 3.3: Increase RWHAP RiMC rates among priority populations.

Strategy: Increase RiMC rates from 85% in 2021 to 90% by December 31, 2026, for Hispanic Men Who Have Sex With Men (MSM).


Activity 3.3.1: Semi-annually track RiMC rates among RWHAP providers of MCM and OAHS services to Hispanic MSM.

## BASELINE

January 1, 2022

85%

Hispanic  
MSM RiMC



## TARGET

December 31, 2026



90% Hispanic  
MSM RiMC

| Measurements   | Jan-Jun 2022 | Jul-Dec 2022 | Jan-Jun 2023 | Jul-Dec 2023 | Jan-Jun 2024 |
|--|--------------|--------------|--------------|--------------|--------------|
| Hispanic MSM OAHS Clients RiMC                               | 1099         | 1286         | 1422         | 1535         | 1576         |
| Total Hispanic MSM OAHS Clients                              | 1353         | 1493         | 1623         | 1708         | 1751         |
| Number of OAHS subrecipients with 90% RiMC for Hispanic MSM  | 4            | 3            | 5            | 8            | 9            |
| Total number of OAHS subrecipients with Hispanic MSM clients | 12           | 12           | 12           | 12           | 12           |




# NHAS Goal 3: Reduce HIV-Related Disparities and Health Inequities

Disparities in Viral Load Suppression - Objective 3.4: Increase the VL suppression rates among priority populations.

Strategy: Increase VL suppression rates from 81% in 2021 to 95% by December 31, 2026, for Black/African American (B/AA) Males.

Activity 3.4.1: Track VL suppression rates among RWHAP providers of MCM and OAHS services to B/AA Males.

**BASELINE**  
January 1, 2022  
**81%**  
B/AA Males VL  
Suppression Rate



**TARGET**  
December 31, 2026



95%  
B/AA Males VL  
Suppression Rate

| Measurements   | Jan-Jun 2022 | Jul-Dec 2022 | Jan-Jun 2023 | Jul-Dec 2023 | Jan-Jun 2024 |
|--|--------------|--------------|--------------|--------------|--------------|
| VL Suppressed Male B/AA MCM Clients  | 495          | 543          | 577          | 675          | 717          |
| Total Male B/AA MCM Clients  | 581          | 644          | 677          | 767          | 814          |
| Number of MCM subrecipients with 90% VL Suppression for B/AA Males (Target is 95% after June 2024) | 2            | 1            | 4            | 6            | 6            |
| Total number of MCM subrecipients with B/AA Male clients   | 13           | 13           | 13           | 13           | 13           |




# NHAS Goal 3: Reduce HIV-Related Disparities and Health Inequities

Disparities in Viral Load Suppression - Objective 3.4: Increase the VL suppression rates among priority populations.

Strategy: Increase VL suppression rates from 81% in 2021 to 95% by December 31, 2026, for Black/African American (B/AA) Males.

Activity 3.4.1: Track VL suppression rates among RWHAP providers of MCM and OAHS services to B/AA Males.

**BASELINE**  
January 1, 2022  
**81%**  
B/AA Males VL  
Suppression Rate



**TARGET**  
December 31, 2026



95%  
B/AA Males VL  
Suppression Rate


| Measurements  | Jan-Jun 2022 | Jul-Dec 2022 | Jan-Jun 2023 | Jul-Dec 2023 | Jan-Jun 2024 |
|---|--------------|--------------|--------------|--------------|--------------|
| VL Suppressed Male B/AA OAHS Clients  | 320          | 351          | 372          | 420          | 426          |
| Total Male B/AA OAHS Clients  | 391          | 428          | 450          | 476          | 493          |
| Number of OAHS subrecipients with 90% VL Suppression for B/AA Males (Target is 95% after June 2024) | 2            | 2            | 3            | 5            | 3            |
| Total number of OAHS subrecipients with B/AA Male clients   | 11           | 11           | 11           | 11           | 11           |

# NHAS Goal 3: Reduce HIV-Related Disparities and Health Inequities

Disparities in Viral Load Suppression - Objective 3.5: Increase the VL suppression rates among priority populations.  
 Strategy: Increase VL suppression rates from 84% in 2021 to 95% by December 31, 2026, for Black/African American (B/AA) Females.

Activity 3.5.1: Track VL suppression rates among RWHAP providers of MCM and OAHS services to B/AA Females.

**BASELINE**  
 January 1, 2022  
**84%**  
 B/AA Females VL  
 Suppression Rate



**TARGET**  
 December 31, 2026  
  
**95%**  
 B/AA Females VL  
 Suppression Rate

| Measurements   | Jan-Jun 2022 | Jul-Dec 2022 | Jan-Jun 2023 | Jul-Dec 2023 | Jan-Jun 2024 |
|--|--------------|--------------|--------------|--------------|--------------|
| VL Suppressed Female B/AA MCM Clients  | 252          | 268          | 290          | 334          | 357          |
| Total Female B/AA MCM Clients  | 281          | 303          | 315          | 368          | 404          |
| Number of MCM subrecipients with 90% VL Suppression for B/AA Females (Target is 95% after June 2024) | 7            | 5            | 8            | 7            | 6            |
| Total number of MCM subrecipients with B/AA Female clients   | 12           | 12           | 12           | 12           | 12           |


# NHAS Goal 3: Reduce HIV-Related Disparities and Health Inequities

Disparities in Viral Load Suppression - Objective 3.5: Increase the VL suppression rates among priority populations.

Strategy: Increase VL suppression rates from 84% in 2021 to 95% by December 31, 2026, for Black/African American (B/AA) Females.

Activity 3.5.1: Track VL suppression rates among RWHAP providers of MCM and OAHS services to B/AA Females.

**BASELINE**  
January 1, 2022  
**84%**  
B/AA Females VL  
Suppression Rate



**TARGET**  
December 31, 2026



95%  
B/AA Females VL  
Suppression Rate

| Measurements  | Jan-Jun 2022 | Jul-Dec 2022 | Jan-Jun 2023 | Jul-Dec 2023 | Jan-Jun 2024 |
|---|--------------|--------------|--------------|--------------|--------------|
| VL Suppressed Female B/AA OAHS Clients  | 126          | 129          | 146          | 170          | 186          |
| Total Female B/AA OAHS Clients  | 153          | 153          | 165          | 195          | 213          |
| Number of OAHS subrecipients with 90% VL Suppression for B/AA Females (Target is 95% after June 2024) | 3            | 4            | 5            | 5            | 4            |
| Total number of OAHS subrecipients with B/AA Female clients   | 12           | 12           | 12           | 12           | 12           |


# NHAS Goal 3: Reduce HIV-Related Disparities and Health Inequities

Disparities in Viral Load Suppression - Objective 3.6: Increase the VL suppression rates among priority populations.

Strategy: Increase VL suppression rates from 86% in 2021 to 95% by December 31, 2026, for Haitian Males.

Activity 3.6.1: Track VL suppression rates among RWHAP providers of MCM and OAHS services to Haitian Males.

**BASELINE**  
January 1, 2022  
**86%**  
Haitian Males VL  
Suppression Rate



**TARGET**  
December 31, 2026  
  
**95%**  
Haitian Males VL  
Suppression Rate

| Measurements  | Jan-Jun 2022 | Jul-Dec 2022 | Jan-Jun 2023 | Jul-Dec 2023 | Jan-Jun 2024 |
|---|--------------|--------------|--------------|--------------|--------------|
| VL Suppressed Male Haitian MCM Clients  | 235          | 253          | 272          | 300          | 304          |
| Total Male Haitian MCM Clients  | 268          | 292          | 300          | 335          | 347          |
| Number of MCM subrecipients with 90% VL Suppression for Haitian Males (Target is 95% after June 2024) | 5            | 2            | 7            | 5            | 4            |
| Total number of MCM subrecipients with Haitian Male clients   | 11           | 11           | 11           | 11           | 11           |


# NHAS Goal 3: Reduce HIV-Related Disparities and Health Inequities

Disparities in Viral Load Suppression - Objective 3.6: Increase the VL suppression rates among priority populations.

Strategy: Increase VL suppression rates from 86% in 2021 to 95% by December 31, 2026, for Haitian Males.

Activity 3.6.1: Track VL suppression rates among RWHAP providers of MCM and OAHS services to Haitian Males.

**BASELINE**  
January 1, 2022  
**86%**  
Haitian Males VL  
Suppression Rate



**TARGET**  
December 31, 2026  
  
**95%**  
Haitian Males VL  
Suppression Rate

| Measurements   | Jan-Jun 2022 | Jul-Dec 2022 | Jan-Jun 2023 | Jul-Dec 2023 | Jan-Jun 2024 |
|--|--------------|--------------|--------------|--------------|--------------|
| VL Suppressed Male Haitian OAHS Clients  | 133          | 135          | 149          | 157          | 164          |
| Total Male Haitian OAHS Clients  | 155          | 158          | 167          | 182          | 190          |
| Number of OAHS subrecipients with 90% VL Suppression for Haitian Males (Target is 95% after June 2024) | 3            | 3            | 6            | 5            | 4            |
| Total number of OAHS subrecipients with Haitian Male clients   | 11           | 11           | 11           | 11           | 11           |

# NHAS Goal 3: Reduce HIV-Related Disparities and Health Inequities

Objective 3.7 (DV1) Increase the VL suppression rates among priority populations.

Strategy DV1.4: Increase VL suppression rates from 86% in 2021 to 95% by December 31, 2026, for Haitian Females.


Activity 3.7.1: Track VL suppression rates among RWHAP providers of MCM and OAHS services to Haitian Females.

## BASELINE

January 1, 2022

**86%**

Haitian Females VL  
Suppression Rate



## TARGET

December 31, 2026



**95%**

Haitian Females VL  
Suppression Rate

| Measurements  | Jan-Jun 2022 | Jul-Dec 2022 | Jan-Jun 2023 | Jul-Dec 2023 | Jan-Jun 2024 |
|---|--------------|--------------|--------------|--------------|--------------|
| VL Suppressed Female Haitian MCM Clients  | 235          | 251          | 246          | 286          | 319          |
| Total Female Haitian MCM Clients  | 268          | 277          | 283          | 320          | 355          |
| Number of MCM subrecipients with 90% VL Suppression for Haitian Females (Target is 95% after June 2024) | 3            | 4            | 1            | 5            | 6            |
| Total number of MCM subrecipients with Haitian Female clients   | 11           | 11           | 11           | 11           | 11           |

# NHAS Goal 3: Reduce HIV-Related Disparities and Health Inequities

Objective 3.7 (DV1) Increase the VL suppression rates among priority populations.

Strategy DV1.4: Increase VL suppression rates from 86% in 2021 to 95% by December 31, 2026, for Haitian Females.


Activity 3.7.1: Track VL suppression rates among RWHAP providers of MCM and OAHS services to Haitian Females.

## BASELINE

January 1, 2022

**86%**

Haitian Females VL  
Suppression Rate



## TARGET

December 31, 2026



**95%**

Haitian Females VL  
Suppression Rate

| Measurements   | Jan-Jun 2022 | Jul-Dec 2022 | Jan-Jun 2023 | Jul-Dec 2023 | Jan-Jun 2024 |
|--|--------------|--------------|--------------|--------------|--------------|
| VL Suppressed Female Haitian OAHS Clients  | 121          | 115          | 117          | 154          | 165          |
| Total Female Haitian OAHS Clients  | 141          | 132          | 137          | 175          | 187          |
| Number of OAHS subrecipients with 90% VL Suppression for Haitian Females (Target is 95% after June 2024) | 2            | 4            | 5            | 5            | 5            |
| Total number of MCM subrecipients with Haitian Female clients  | 11           | 11           | 11           | 11           | 11           |